

# 228 ECOMAX Polish

## Foaming cleaning and gloss polish

- ▲ Preserves and maintains all vehicle surfaces intensively
- ▲ Long-lasting protection against weather and environmental influences and an impressive surface gloss finish
- ▲ Impregnating effect ensuring excellent water and dirt repellency
- ▲ Significant improvement to the drying
- ▲ Full care effect even after the first wash
- ▲ No layer build-up and no smearing
- ▲ A high ratio of surfactants also achieves a great cleaning effect
- ▲ High foam volume that can be rinsed off particularly well when used in foam devices
- ▲ Can also be used within critical fresh water quality (e.g. water hardness)
- ▲ Ideal for convertible soft top canvas
- ▲ Provides a pleasant and intensive fragrance experience
- ▲ Extremely environmentally aware and gentle composition
- ▲ Very economical to use thanks to the very high content of active ingredient in the high concentrate
- ▲ Free of hydrocarbons and mineral oils



**ECOMAX**



### Application

#### Product is not suitable for pre-dilution

Apply undiluted to the application with a suitable dosing device.

#### Polishing:

as a foam application (20–40 ml/car).

Apply and polish after washing in the foaming process.

Consumption of max. 30 ml/car when used as a Nordic Ecolabel product.

In self-service jet washes as brush foam (15–25 ml/min; 1:200-1:500).

Apply to the cleaned vehicle with the polish brush.

#### Shampoo:

as brush shampoo (5–15 ml/car; 25–100 ml/truck).

#### Manual vehicle wash:

using a sponge or cloth with a bucket (1–2 ml/L; 1:500-1:1000).

Mix and stir the solution well in a container.

#### Wax and care:

In self-service jet washes as a foam application (20 ml/min).

#### Note

Always keep containers closed and guide suction tubes through the closure. A change in colour and clouding may occur without any loss in quality due to the natural raw materials. Protect from frost. Not a consumer product according to 1999/44/EC Art. 1! For professional use only! No liability is accepted in case of incorrect and unprofessional use!

#### Ingredients (according to 648/2004/EC)

Amphoteric surfactants 5–15%, maintenance substances, dyes, fragrances.

pH value (concentrate): approx. 7.5

#### Classification

Classification (in concentrate): GHS07, Warning. H319 Causes serious eye irritation. H315 Causes skin irritation. P280 Wear protective gloves/eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Art. No.	Packaging unit (PU)	Contents in kg	Numbers of PU per pallet
c228080	10 kg Carwash canister		60
c228025	25 kg canister		24
c228073	220 L drum	221	2