

# 341 Liwabac

## Bioactive water treatment

---

- ▲ Supports the clarification of wastewater and recycled water
- ▲ Keeps both clean, the washing halls and the washing technology including all types of washing materials (PE brushes, textiles, etc.)
- ▲ Combats unpleasant odours on a microbiological basis
- ▲ Considerably reduces both clouding and the CSB and BSB value
- ▲ Effective across a broad range of pH values
- ▲ Very economical to use thanks to the very high content of active ingredient in the high concentrate
- ▲ Free from complexing agents and phosphates

### Application

#### Product is not suitable for pre-dilution

Apply undiluted to the application with a suitable dosing device.

#### Water treatment:

In systems with water recycling as intensive treatment (40–120 ml/m<sup>3</sup> recycling water).

Add to all sedimentation tanks.

as on-going treatment (40–120 ml/m<sup>3</sup> resulting slop; 5–15 ml/car).

Feed the water inlet to the 1st sedimentation tank and ensure it is well-mixed.

Optimum effect at pH 5.0 - 9.0.

#### Note

Always keep containers closed and guide suction tubes through the closure. A change in colour and clouding may occur without any loss in quality due to the natural raw materials. No liability is accepted in case of incorrect and unprofessional use! Not a consumer product according to 1999/44/EC Art. 1! For professional use only!

#### Ingredients

Additives, biological smell binder.  
pH value (concentrate): approx. 6.5

---

Art. No.	Packaging unit (PU)	Numbers of PU per pallet
c341081	11 kg Carwash canister	60