

Dopomat-secur

Maintenance cleaner for scrubber driers with anti-slip properties

- ▲ Surface-active, low-foaming cleaner for floor cleaning machines
- Protective treatment of floorings
- Removes the dirt and leaves behind a streak-free, satin-matt, solid and slipresistant maintenance film
- Certified according to DIN 18032
- Slip resistance value between 0.4 and 0.6 μ
- No excessive build-up of coatings on the floor, as the maintenance substances are exchanged during cleaning
- Polishing can enhance the appearance of the covering, without changing its slip-resistant property
- Contains renewable plant-based raw materials





Area of application

Can be used on water-resistant, hard and resilient floorings, e.g. PVC, linoleum, rubber, natural and artificial stone. Can also be used on coated floorings. Preferably used in areas with high walking and running safety requirements, e.g. in sports halls and retirement homes.

Application

Please test on a small inconspicuous spot before first application.

Routine cleaning (mechanical wet cleaning):

Depending on soiling or required maintenance effect, 100–200 ml to 10 L of cold water. Consumption: 1.0–2.0 ml/m².

Routine cleaning (wiping):

Depending on soiling or required maintenance effect, 100–200 ml to 10 L of cold water. Consumption: 0.3–0.6 ml/m².

Micro-protection:

Depending on the absorbency of the surface, 300–600 ml to 10 L of cold water. Consumption: 1.5–2.8 ml/m².

Polishing:

Occasional polishing (approx. 1000 rpm) compacts the care components, removes scuff marks caused by traffic and increases durability.



Note

Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product. Not a consumer product according to 1999/44/EC Art. 1! For professional use only!

Ingredients (according to 648/2004/EC)

Nonionic surfactants 5–15%, soap < 5%, maintenance substances, water-soluble solvents, fragrances (Limonene, Linalool). pH value (concentrate): approx. 10 pH value (ready-to-use solution): approx. 8.5

Art. No. j100210 j100272