

according to UK REACH Regulation

116 A	ciFoam
-------	--------

Revision date: 12.12.2022

Product code: c1160\_sd

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

116 AciFoam

UFI:

2T90-V0F9-U005-7DUD

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

## 1.3. Details of the supplier of the safety data sheet

1.,	.3. Details of the supplier of the safety data sheet							
	Company name:		KAW K	IEHL K	G			
	Street:		Oskar-von	-Miller-Str.	. 1			
	Place:		D-85235 C	delzhause	en			
	Telephone:		+49 8134 9	9305-40		٦	Felefax: +49 8134 5145	
	e-mail:		info@kiehl	-group.coi	m			
	Contact person:		Laboratory	departme	ent			
	Internet:		www.kiehl-	-group.cor	n			
	Responsible Department:		Notrufnum	mer für de	utsch- und englischs	prachig	ge Länder: +49/89/19240	
			Vergiftung	sinformatio	onszentrale (VIZ) Öst	erreich	: +43 1 406 43 43	
			Nationale I	Notrufnum	mer für die Schweiz (	(Tox-Ze	entrum Zürich): 145	
			Numéro	d'urgence	France: INRS: +33 (0	0) 1 45	42 59 59	
			Numero d'	emergenz	a Italia: Centro Antiv	eleni -	20162 Milano: 02/66101029	
							Szolgálat/, 1096 Budapest,	
			Nagyvárac	l tér 2. Üg	yeleti telefonszám: +3	36 80 2	01-199	
			Emergen	cy telepho	ne number for all oth	er cour	ntries: +49/8134/9305-169	
	KIEHL Austria GmbH	Perfektast	r. 57:		A-1230 Wien		Tel. +43 (0) 1 / 604 99 93	
	KIEHL FRANCE S.A.R.L.	5, rue de L	,		F-67670 Mommenheir	m	Tél. +33 (0) 3.88.59.52.25	
	KIEHL Italia s.r.l.	Via San R	occo, 101;		I-16036 Recco (GE)		Tel. +39 / 0185 730 008	
	KIEHL Schweiz AG	St. Dionys			CH-8645 Jona		Tel. +41 (0) 55 / 254 74 74	
	KIEHL Hungary Kft.	•	körút 3/ D		HU-2142 Nagytarcsa		Tel. +36 (0) 1 / 348-08 41	
	KIEHL Middle East LLC	A8-LIU 48	49 - KIZAD		Abu Dhabi, U.A.E.		Tel. +971 2 550 33 96	

#### 1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

# number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### **GB CLP Regulation**

#### Hazard components for labelling

Alkylamidopropylbetaine

Signal word:

Pictograms:





according to UK REACH Regulation

## 116 AciFoam

Revision date: 12.12.2022

Product code: c1160\_sd

Page 2 of 8

## Hazard statements

Causes serious eye damage.

#### Precautionary statements

P280 P305+P351+P338

Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

H318

None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

according to 648/2004/CE: amphoteric surfactants 5-15%, organic acids, corrosion inhibitors

## Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
5949-29-1	Citric acid			30 - < 35 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2; H319			
66455-29-6	9-6 (C12-14)-Alkyldimethylbetaine			5 - < 10 %
	266-368-1		01-2119529251-48	Ī
	Skin Corr. 1B, Eye Dam. 1, Aquatic Chronic 3; H314 H318 H412			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
66455-29-6	266-368-1	12-14)-Alkyldimethylbetaine 5 - <	
	Skin Corr. 1B; H314: >= 30 - 100 Skin Irrit. 2; H315: >= 16 - < 30 Eye Dam. 1; H318: >= 16 - 100 Eye Irrit. 2; H319: >= 1 - < 16		

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Avoid contact with skin and eyes.

#### After inhalation

not hazardous by inhalation

#### After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

## After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.



## according to UK REACH Regulation

## 116 AciFoam

Revision date: 12.12.2022

Product code: c1160\_sd

Page 3 of 8

# 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

#### 5.2. Special hazards arising from the substance or mixture

This information is not available.

## 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Avoid contact with skin and eyes.

#### For non-emergency personnel

Use personal protection equipment.

#### For emergency responders

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not flush into surface water.

#### 6.3. Methods and material for containment and cleaning up

## For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

## Advice on protection against fire and explosion

Not required

#### Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.



# **116 AciFoam** Product code: c1160 sd

Revision date: 12.12.2022

Do not store together with alkalis

## Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

## 7.3. Specific end use(s)

This information is not available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Additional advice on limit values

This information is not available.

## 8.2. Exposure controls

Appropriate engineering controls

Not required

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields.

#### Hand protection

#### Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

#### Skin protection

impervious clothing

#### **Respiratory protection**

Not required

#### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	green		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point a	and	>78 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		>100 °C	
Auto-ignition temperature:		>200 °C	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		approx. 1,5	K-QP1012C
Viscosity / kinematic:		not determined	

Page 4 of 8



## according to UK REACH Regulation

	116 AciFoam	
Revision date: 12.12.2022	Product code: c1160_sd	Page 5 of 8
Water solubility: (at 20 °C) Solubility in other solvents not determined	completely miscible	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	-	K-QP1012E
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard class Explosive properties Not explosive Self-ignition temperature Solid: Gas: Oxidizing properties Not relevant	not applicable not applicable	
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Sublimation point:	not applicable	
Softening point:	not applicable	
Pour point:	not applicable	
Viscosity / dynamic:	not determined	
Flow time:	not determined	
SECTION 10: Stability and reactivity		

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This information is not available.

# 10.2. Chemical stability

This information is not available.

### 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

## 10.5. Incompatible materials

Bases

# 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## Further information

Do not mix with other detergents or chemicals.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

## Acute toxicity

Based on available data, the classification criteria are not met.

# Irritation and corrosivity

Causes serious eye damage. Skin corrosion/irritation: Based on available data, the classification criteria are not met.



116 AciFoam	
Product code: c1160	sd

Revision date: 12.12.2022

Page 6 of 8

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Endocrine disrupting properties

This information is not available.

#### **Further information**

Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC. Readily biodegradable, according to appropriate OECD test.

## 12.3. Bioaccumulative potential

This information is not available.

## 12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

This information is not available.

## **Further information**

Chemical Oxygen Demand (COD): 423mg O2/g

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product



	116 AciFoam	
Revision date: 12.12.2022	Product code: c1160_sd	Page 7 of 8
	IC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, ctants and cosmetics; wastes not otherwise specified	
Contaminated packaging		
	eaned containers to the company for recycling.	
Offer rinsed packaging material to loca	al recycling facilities.	
SECTION 14: Transport information		
Land transport (ADR/RID)		
14.1. UN number or ID number:	not applicable	
14.2. UN proper shipping name:	not applicable	
<u>14.3. Transport hazard class(es):</u>	not applicable	
14.4. Packing group:	not applicable	
<u>14.5. Environmental hazards</u>		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Not required		
14.7. Maritime transport in bulk according	to IMO instruments	
not applicable		
Other applicable information		
Not classified as dangerous in the me	aning of transport regulations.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information		

Restrictions on use (REACH, annex XVII):

Entry 3

## National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations



# 116 AciFoam

Revision date: 12.12.2022

Product code: c1160\_sd

Page 8 of 8

DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification Classification procedure		Classification procedure	
Eye Dam. 1; H318		Calculation method	
Relevant H and E	UH statements	(number and full text)	
H314 Causes severe skin burns and eye damage.		s severe skin burns and eye damage.	
H318	Cause	Causes serious eye damage.	
H319	H319 Causes serious eye irritation.		
H412	Harmful to aquatic life with long lasting effects.		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)