

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

133 KIMAX Parfoam

UFI: 4UA0-X0R2-H003-5GU5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG
Street: Oskar-von-Miller-Str. 1
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-40 Telefax: +49 8134 5145
e-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Trideceth 5-12 / Sodium Hydroxide

Signal word: Danger

Pictograms:



Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 2 of 8

Hazard statements

H318 Causes serious eye damage.
H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants 5-15%, amphoteric surfactants <5%, water-soluble solvents, corrosion inhibitors, dyes, fragrances (Linalool, Limonene, Citral, Citronellol)

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO			10 - < 15 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
1310-73-2	Sodium hydroxide			< 2 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
69011-36-5	931-138-8	i-C13-Fatty alcohol polyglycol ethers 5-12 EO	10 - < 15 %
	oral: ATE = 500 mg/kg Eye Dam. 1; H318: $\geq 10 - 100$ Eye Irrit. 2; H319: $\geq 6 - < 10$		
1310-73-2	215-185-5	Sodium hydroxide	< 2 %
	Skin Corr. 1A; H314: $\geq 5 - 100$ Skin Corr. 1B; H314: $\geq 2 - < 5$ Skin Irrit. 2; H315: $\geq 0,5 - < 2$ Eye Irrit. 2; H319: $\geq 0,5 - < 2$		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 3 of 8

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.
Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 4 of 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special storage conditions required. Store in a place accessible by authorized persons only. Protect from frost.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.
Do not store near acids.

Further information on storage conditions

Keep container tightly closed.
Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: pleasant

Test method

Melting point/freezing point: <0 °C
Boiling point or initial boiling point and boiling range: >98 °C
Flammability
Solid/liquid: not applicable

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 5 of 8

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	>100 °C
Auto-ignition temperature:	>300 °C
Decomposition temperature:	not determined
pH-Value (at 20 °C):	approx. 11,0 K-QP1012C
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,05 g/cm ³ K-QP1012E
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 6 of 8

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	oral	ATE mg/kg	500		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 7 of 8

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 400 mg O₂/g.

The product is tested according to its influences in waste water and corresponds to ÖNORM B 5106 (Austrian standard).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: not applicable14.2. UN proper shipping name: not applicable14.3. Transport hazard class(es): not applicable14.4. Packing group: not applicable

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Safety Data Sheet

according to UK REACH Regulation

133 KIMAX Parfoam

Revision date: 12.12.2022

Product code: c1330_sd

Page 8 of 8

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)