

according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

142 ENERGY Prewash balance

UFI:

V0Q0-R0FP-A00E-5VKJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

1.3. Details of the supplier of	the safety data sheet		
Company name:	KAW KIEHL K	(G	
Street:	Oskar-von-Miller-Str	. 1	
Place:	D-85235 Odelzhaus	en	
Telephone:	+49 8134 9305-40		Telefax: +49 8134 5145
E-mail:	info@kiehl-group.co	m	
Contact person:	Laboratory departme	ent	
Internet:	www.kiehl-group.co	m	
Responsible Department:	Notrufnummer für de	eutsch- und englischsprach	ige Länder: +49/89/19240
	Vergiftungsinformati	onszentrale (VIZ) Österreic	h: +43 1 406 43 43
	Nationale Notrufnum	nmer für die Schweiz (Tox-Z	Zentrum Zürich): 145
	Numéro d'urgence	France: INRS: +33 (0) 1 4	5 42 59 59
	Numero d' emergen:	za Italia: Centro Antiveleni -	- 20162 Milano: 02/66101029
	ETTSZ /Egészségüg	gyi Toxikológiai Tájékoztató	Szolgálat/, 1096 Budapest,
	Nagyvárad tér 2. Üg	yeleti telefonszám: +36 80	201-199
	Emergency telepho	one number for all other cou	untries: +49/8134/9305-169
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsöipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Sodium Hydroxide

Signal word:

Pictograms:





according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 2 of 9

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

· · · · · · · , · · · · ·	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, phosphonates <5%, alkalis, additives, dyes

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP F	Regulation)		
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314			
68515-73-1	Alkylpolyglycosid			1 - < 5 %
	500-220-1		01-2119488530-36	
	Eye Dam. 1; H318			

Full text of H and EUH statements: see section 16.

Specific Con	ic. Limits, M-fa	ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
1310-73-2	215-185-5	Sodium hydroxide	1 - < 5 %
	,	H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2	
68515-73-1	500-220-1	Alkylpolyglycosid	1 - < 5 %
	Eye Dam. 1; H	318: >= 10 - 100 Eye Irrit. 2; H319: >= 10 - < 10	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 4 of 9

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store near acids.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

T. Information on pasic physical and their	mear properties		
Physical state:	liquid		
Colour:	green		
Odour:	characteristic		
			Test method
Melting point/freezing point:		2° 0>	
Boiling point or initial boiling point and		>98 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		>100 °C	
Auto-ignition temperature:		>300 °C	
Decomposition temperature:		not determined	



according to UK REACH Regulation

142 ENERGY Prewash balance			
Revision date: 29.03.2023	Product code: c1420_sd		Page 5 of 9
pH-Value (at 20 °C):	approx. 13,5	K-QP1012C	
Viscosity / kinematic:	not determined		
Water solubility:	completely miscible		
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:	not determined		
Vapour pressure:	not determined		
Density (at 20 °C):	-	K-QP1012E	
Relative vapour density:	not determined		
Particle characteristics:	not applicable		
9.2. Other information			
Information with regard to physical hazard cl	asses		
Explosive properties			
Not explosive			
Self-ignition temperature			
Solid:	not applicable		
Gas:	not applicable		
Oxidizing properties			
Not relevant			
Other safety characteristics			
Evaporation rate:	not determined		
Solid content:	not determined		
Sublimation point:	not applicable		
Softening point:	not applicable		
Pour point:	not applicable		
Viscosity / dynamic:	not determined		
Flow time:	not determined		

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 6 of 9

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC. Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 142mg O2/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 7 of 9

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1824 SODIUM HYDROXIDE SOLUTION 8 III 8
Classification code: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code:	C5 5 L E1 3 80 E
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es):	8 III
<u>14.4. Packing group:</u> Hazard label [:]	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity: EmS:	E1 F-A. S-B
Segregation group:	г-А, S-D alkalis
14.5. Environmental hazards	anais
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according t	o IMO instruments
not applicable	
SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 8 of 9

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% I D50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Skin Corr: Skin corrosion Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method



according to UK REACH Regulation

142 ENERGY Prewash balance

Revision date: 29.03.2023

Product code: c1420_sd

Page 9 of 9

Relevant H and EUH statements (number and full text)

H314Causes severe skin burns and eye damage.H318Causes serious eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)