

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

145 ENERGY Foam

UFI: Y5Q0-R0UF-X00E-GJRP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

### 1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG  
Street: Oskar-von-Miller-Str. 1  
Place: D-85235 Odelzhausen  
Telephone: +49 8134 9305-40      Telefax: +49 8134 5145  
E-mail: info@kiehl-group.com  
Contact person: Laboratory department  
Internet: www.kiehl-group.com  
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240  
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43  
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145  
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59  
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029  
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,  
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199  
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

**1.4. Emergency telephone number:** +49/89/19240 (germanophone and anglophone)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Sodium Hydroxide

**Signal word:** Danger

**Pictograms:**



## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 2 of 9

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, amphoteric surfactants 5-15%, alkalis, additives, dyes, fragrances

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314			
110615-47-9	Alkyl polyglucoside			1 - < 5 %
			01-2119489418-23	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-73-2	215-185-5	Sodium hydroxide	1 - < 5 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
110615-47-9		Alkyl polyglucoside	1 - < 5 %
	Eye Dam. 1; H318: >= 10 - 100		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Avoid contact with skin, eyes and clothes.

##### After inhalation

No special measures are necessary.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.  
Remove contaminated, saturated clothing immediately.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 3 of 9

#### After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting.  
Immediately call a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

no restriction

#### Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

No information available.

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.  
The product itself does not burn.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Use personal protection equipment.

#### For emergency responders

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (eg. cloth, fleece).  
Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Never return spills in original containers for re-use.

### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 4 of 9

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

No special measures are necessary.

#### Further information on handling

No special handling advices are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Store in a place accessible by authorized persons only.

##### Hints on joint storage

Do not store together with:

Acids

Food and feedingstuffs

##### Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### Appropriate engineering controls

No information available.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection:

Safety glasses with side-shields conforming to EN166

##### Hand protection

Tested protective gloves must be worn

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

not relevant

##### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:

Liquid

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 5 of 9

Colour: green  
Odour: characteristic

#### Test method

Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and boiling range:	>98 °C	
Flammability:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	>100 °C	
Auto-ignition temperature:	>300 °C	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 13,5	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,10 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

#### 9.2. Other information

##### Information with regard to physical hazard classes

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

##### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

No information available.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Do not store at temperatures above 35°C

#### 10.5. Incompatible materials

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 6 of 9

#### **10.6. Hazardous decomposition products**

No information available.

#### **Further information**

Do not mix with other detergents or chemicals.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

##### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **11.2. Information on other hazards**

##### **Endocrine disrupting properties**

No information available.

#### **Further information**

Health injuries are not known or expected under normal use.

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

Based on available data, the classification criteria are not met.

#### **12.2. Persistence and degradability**

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

Readily biodegradable, according to appropriate OECD test.

#### **12.3. Bioaccumulative potential**

No information available.

#### **12.4. Mobility in soil**

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 7 of 9

#### Further information

Chemical Oxygen Demand (COD): 283mg O<sub>2</sub>/g

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains.

##### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8



Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1824
<b>14.2. UN proper shipping name:</b>	SODIUM HYDROXIDE, SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8



Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	alkalis

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	No
----------------------------	----

## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 8 of 9

#### **14.6. Special precautions for user**

No special measures are necessary.

#### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

##### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**



## Safety Data Sheet

according to UK REACH Regulation

### 145 ENERGY Foam

Revision date: 11.04.2023

Product code: c1450\_sd

Page 9 of 9

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method

#### Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*