

according to UK REACH Regulation

206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060 sd

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier 206 MICRON Drv UFI: AVC0-100U-6001-4KTX 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: KAW KIEHL KG Street: Oskar-von-Miller-Str. 1 Place: D-85235 Odelzhausen +49 8134 9305-40 Telefax: +49 8134 5145 Telephone: e-mail: info@kiehl-group.com Contact person: Laboratory department www.kiehl-group.com Internet: Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Emergency telephone number for all other countries: +49/8134/9305-169 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 **KIEHL Middle East LLC** A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96 +49/89/19240 (germanophone and anglophone)

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eve Irrit. 2; H319 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:





206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060_sd

Page 2 of 10

Hazard statements

| H319 | Causes serious eye irritation. |
|------------------|---|
| H315 | Causes skin irritation. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary st | atements |

| P273 | Avoid release to the environment. |
|----------------|--|
| P280 | Wear protective gloves/eye protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | present and easy to do. Continue rinsing. |

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

cationic compounds, water-soluble solvents, additives, dyes

Hazardous components

| CAS No | Chemical name | | | | |
|--------------|---|---------------------------------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulation) | • | • | | |
| 1335203-21-8 | Imidazolium compounds, 2-C17-un -dihydro-N□methyl, Me sulfates | satdalkyl⊡1-(2-C18-unsatd. amidoe | ethyl)-4,5 | 10 - < 15 % | |
| | 931-745-8 | | 01-2119582803-32 | | |
| | Skin Irrit. 2, Eye Irrit. 2, Aquatic Acu | ute 1, Aquatic Chronic 1; H315 H319 | H400 H410 | | |
| 111-76-2 | 2-Butoxyethanol | | | 10 - < 15 % | |
| | 203-905-0 | | 01-2119475108-36 | | |
| | Acute Tox. 4, Acute Tox. 4, Skin Irr | it. 2, Eye Irrit. 2; H332 H302 H315 H | 319 | | |
| 67-63-0 | Isopropyl alcohol | | 5 - < 10 % | | |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE | | | | |
| 102782-92-3 | Poly[3-((2-aminoethyl)amino)propyl | terminated | 5 - < 10 % | | |
| | Skin Irrit. 2, Eye Dam. 1; H315 H31 | 8 | | | |
| 541-02-6 | Decamethylcyclopentasiloxane | | 1 - < 5 % | | |
| | 208-764-9 | | 01-2119511367-43 | | |
| | | • | • | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|----------|--|---|-------------|--|--|
| | Specific Conc. Limits, M-factors and ATE | | | | |
| 111-76-2 | 203-905-0 | 2-Butoxyethanol | 10 - < 15 % | | |
| | | 0 = 3 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = : LD50 = 500 mg/kg | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.



206 MICRON Dry Product code: c2060 sd

Revision date: 12.12.2022

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with soap and water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Never return spills in original containers for re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Page 3 of 10



206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060_sd

Page 4 of 10

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions Keep container tightly closed.

Never return unused material to storage receptacle. Protect from frost.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|-----------------|-----|-------|-----------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol | 25 | 123 | | TWA (8 h) | WEL |
| | | 50 | 246 | | STEL (15 min) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|-----------|-----------------------------------|-----------------|---------------|---------------|
| 111-76-2 | , | butoxyacetic acid (creatinine) | 240 mmol/mol | | Post shift |

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.



according to UK REACH Regulation

206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060_sd

Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: liquid Colour: blue Odour: characteristic Test method <0 °C Melting point/freezing point: >78 °C Boiling point or initial boiling point and boiling range: Flammability Solid/liquid: not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable 35 °C Flash point: Auto-ignition temperature: >200 °C Decomposition temperature: not determined pH-Value (at 20 °C): approx. 5,0 K-QP1012C Viscosity / kinematic: not determined Water solubility: completely miscible (at 20 °C) Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density (at 20 °C): 0,96 g/cm3 K-QP1012E Relative vapour density: not determined 9.2. Other information Information with regard to physical hazard classes Explosive properties Not explosive Sustaining combustion: Not sustaining combustion Self-ignition temperature Solid: not applicable Gas: not applicable Oxidizing properties Not relevant Other safety characteristics Evaporation rate: not determined Solid content: not determined Sublimation point: not applicable not applicable Softening point: not applicable Pour point: Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability



206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060_sd

Page 6 of 10

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | | |
|----------|-------------------------|-----------------|----------|---------|--------|--------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 111-76-2 | 2-Butoxyethanol | 2-Butoxyethanol | | | | | | | |
| | oral | LD50 mg/kg | 500 | | | | | | |
| | dermal | LD50 mg/kg | 300 | | | | | | |
| | inhalation (4 h) vapour | LC50 | 3 mg/l | | | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | | |

Irritation and corrosivity

Causes skin irritation. (On basis of test data) Causes serious eye irritation. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.



according to UK REACH Regulation

206 MICRON Dry

Revision date: 12.12.2022

Product code: c2060_sd

Page 7 of 10

| CAS No | Chemical name | | | | | | | |
|------------------|---|----------------|----------|-----------|---|--------|--------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 1335203-21- 8 | Imidazolium compounds, 2-C17-unsatdalkyl□1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N□methyl, Me sulfates | | | | | | | |
| | Acute fish toxicity | LC50 | 1,8 mg/l | | Leuciscus idus (Golden orfe) | | | |
| | Acute algae toxicity | ErC50 mg/l | > 0,4 | | Pseudokirchneriella subcapitata (green algae) | | | |
| | Acute crustacea toxicity | EC50 mg/l | 0,065 | | Daphnia magna (Water flea) | | | |
| | Acute bacteria toxicity | (EC50 mg/l) | 564 | 3 h | | | | |

12.2. Persistence and degradability

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 1658 mg O2/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)



according to UK REACH Regulation

| | 206 MICRON Dry | |
|--|--|--------------|
| Revision date: 12.12.2022 | Product code: c2060_sd | Page 8 of 10 |
| 14.1. UN number or ID number: 14.2. UN proper shipping name: | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidazolium compound) | |
| <u>14.3. Transport hazard class(es):</u> 14.4. Packing group: | 9 III | |
| Hazard label: | 9 | |
| | | |
| Classification code: | M6 | |
| Special Provisions: | 274 335 375 601 | |
| Limited quantity: Excepted quantity: | 5 L E1 | |
| Transport category: | 3 | |
| Hazard No: | 90 | |
| Tunnel restriction code: | - | |
| Marine transport (IMDG) | | |
| 14.1. UN number or ID number: | UN 3082 | |
| 14.2. UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidazolium compound) | |
| 14.3. Transport hazard class(es): | 9 | |
| 14.4. Packing group: | III | |
| Hazard label: | 9 | |
| | | |
| Special Provisions: | 274, 335, 969 | |
| Limited quantity: | 5 L | |
| Excepted quantity: | E1 | |
| EmS: | F-A, S-F | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | |

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59):

Decamethylcyclopentasiloxane

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 70, Entry 75

National regulatory information



according to UK REACH Regulation

| | 206 MICRON Dry | |
|---|--|--------------|
| Revision date: 12.12.2022 | Product code: c2060_sd | Page 9 of 10 |
| Water hazard class (D): | 2 - obviously hazardous to water | |
| 15.2. Chemical safety assessmen | - | |
| | - Its for substances in this mixture were not carried out. | |
| · | | |
| SECTION 16: Other informatio | n | |
| Changes | | |
| - | anges from the previous version in section(s): 3 / 6 / 7 / 8 / 12 | |
| Abbreviations and acronyms | | |
| - | le transport des marchandises dangereuses par Route | |
| | erning the International Carriage of Dangerous Goods by Road) | |
| | e Code for Dangerous Goods | |
| IATA: International Air Tran | - | |
| | System of Classification and Labelling of Chemicals | |
| | ry of Existing Commercial Chemical Substances | |
| - | lotified Chemical Substances | |
| CAS: Chemical Abstracts S | | |
| LC50: Lethal concentration, | 50% | |
| LD50: Lethal dose, 50% | | |
| CLP: Classification, labelling | g and Packaging | |
| | ation and Authorization of Chemicals | |
| - | System of Classification, Labelling and Packaging of Chemicals | |
| UN: United Nations | | |
| DNEL: Derived No Effect Le | | |
| DMEL: Derived Minimal Effe | | |
| PNEC: Predicted No Effect | | |
| ATE: Acute toxicity estimate | } | |
| LL50: Lethal loading, 50% | | |
| EL50: Effect loading, 50% EC50: Effective Concentrat | on 50% | |
| ErC50: Effective Concentrat | | |
| NOEC: No Observed Effect | | |
| BCF: Bio-concentration fact | | |
| PBT: persistent, bioaccumu | | |
| vPvB: very persistent, very | | |
| | g the international carriage of dangerous goods by rail | |
| | concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| | transport international des marchandises dangereuses par voies de navigation | |
| intérieures) | | |
| EmS: Emergency Schedule | S | |
| MFAG: Medical First Aid Gu | lide | |
| MARPOL: International Cor | vention for the Prevention of Marine Pollution from Ships | |
| IBC: Intermediate Bulk Con | tainer | |
| SVHC: Substance of Very H | ligh Concern | |
| For abbreviations and acror | nyms, see table at http://abbrev.esdscom.eu | |
| | used evaluation method according to GB CLP Regulation | |
| Classification | Classification procedure | Ī |
| | | |

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Irrit. 2; H315 | On basis of test data |
| Eye Irrit. 2; H319 | On basis of test data |
| Aquatic Chronic 1; H410 | Calculation method |

Relevant H and EUH statements (number and full text)H225Highly flammable liquid and vapour.



206 MICRON Dry

| Revision date: 12.12.2022 | Product code: c2060_sd | Page 10 of 10 | | |
|---------------------------|---|---------------|--|--|
| H302 | Harmful if swallowed. | | | |
| H315 | Causes skin irritation. | | | |
| H318 | Causes serious eye damage. | | | |
| H319 | Causes serious eye irritation. | | | |
| H332 | Harmful if inhaled. | | | |
| H336 | May cause drowsiness or dizziness. | | | |
| H400 | Very toxic to aquatic life. | | | |
| H410 | Very toxic to aquatic life with long lasting effects. | | | |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)