

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

210 MICRON Speed Wax

UFI: M6D0-10SE-E000-SY56

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG
Street: Oskar-von-Miller-Str. 1
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-40 Telefax: +49 8134 5145
e-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Emergency telephone number for all other countries: +49/8134/9305-169

| | | | |
|-----------------------|-----------------------|--------------------|-----------------------------|
| KIEHL Austria GmbH | Perfektastr. 57; | A-1230 Wien | Tel. +43 (0) 1 / 604 99 93 |
| KIEHL FRANCE S.A.R.L. | 5, rue de Londres; | F-67670 Mommenheim | Tél. +33 (0) 3.88.59.52.25 |
| KIEHL Italia s.r.l. | Via San Rocco, 101; | I-16036 Recco (GE) | Tel. +39 / 0185 730 008 |
| KIEHL Schweiz AG | St. Dionys-Str. 33; | CH-8645 Jona | Tel. +41 (0) 55 / 254 74 74 |
| KIEHL Hungary Kft. | Felsőipari körút 3/ D | HU-2142 Nagytarcsa | Tel. +36 (0) 1 / 348-08 41 |
| KIEHL Middle East LLC | A8-LIU 48/49 - KIZAD | Abu Dhabi, U.A.E. | Tel. +971 2 550 33 96 |

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 2 of 9

H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

nonionic surfactants 5-15%, cationic compounds, maintenance substances, water-soluble solvents, dyes, fragrances (Amylcinnamal, Citronellol, Coumarin, Geraniol, Linalool, Hydroxycitronellal, Benzyl benzoat, Hexyl cinnamal, Eugenol)

Hazardous components

| CAS No | Chemical name | | | Quantity |
|--------------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 1474044-71-7 | 1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts) | | | 10 - < 15 % |
| | 939-685-4 | | 01-2119983493-26 | |
| | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412 | | | |
| 111-76-2 | 2-Butoxyethanol | | | 5 - < 10 % |
| | 203-905-0 | | 01-2119475108-36 | |
| | Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319 | | | |
| 67-63-0 | Isopropyl alcohol | | | 5 - < 10 % |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | | | |
| 9004-78-8 | Tetraethylene glycolmonophenyl ether | | | 5 - < 10 % |
| | 500-013-6 | | | |
| | Acute Tox. 4; H302 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-----------|--|------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 111-76-2 | 203-905-0 | 2-Butoxyethanol | 5 - < 10 % |
| | | inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 500 mg/kg | |
| 9004-78-8 | 500-013-6 | Tetraethylene glycolmonophenyl ether | 5 - < 10 % |
| | | oral: ATE = 500 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 3 of 9

After contact with skin

Wash off with soap and water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Never return spills in original containers for re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 4 of 9

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.
Never return unused material to storage receptacle.
Protect from frost.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|-----------------|-----|-------------------|-----------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol | 25 | 123 | | TWA (8 h) | WEL |
| | | 50 | 246 | | STEL (15 min) | WEL |
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|-----------------|--------------------------------|--------------|---------------|---------------|
| 111-76-2 | 2-Butoxyethanol | butoxyacetic acid (creatinine) | 240 mmol/mol | urine | Post shift |

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|------------------------|--------------------|
| Physical state: | liquid | |
| Colour: | red | |
| Odour: | characteristic | |
| | | Test method |
| Melting point/freezing point: | <0 °C | |
| Boiling point or initial boiling point and boiling range: | >78 °C | |
| Flammability | | |
| Solid/liquid: | not applicable | |
| Lower explosion limits: | not applicable | |
| Upper explosion limits: | not applicable | |
| Flash point: | 36 °C | |
| Auto-ignition temperature: | >200 °C | |
| Decomposition temperature: | not determined | |
| pH-Value (at 20 °C): | approx. 5,0 | K-QP1012C |
| Viscosity / kinematic: | not determined | |
| Water solubility: (at 20 °C) | completely miscible | |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | not determined | |
| Vapour pressure: | not determined | |
| Density (at 20 °C): | 0,97 g/cm ³ | K-QP1012E |
| Relative vapour density: | not determined | |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|---------------------------|
| Explosive properties | |
| Not explosive | |
| Sustaining combustion: | Not sustaining combustion |
| Self-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Oxidizing properties | |
| Not relevant | |

Other safety characteristics

| | |
|----------------------|----------------|
| Evaporation rate: | not determined |
| Solid content: | not determined |
| Sublimation point: | not applicable |
| Softening point: | not applicable |
| Pour point: | not applicable |
| Viscosity / dynamic: | not determined |
| Flow time: | not determined |

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 6 of 9

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|-----------|--------------------------------------|---------------|----------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 111-76-2 | 2-Butoxyethanol | | | | |
| | oral | LD50 mg/kg | 500 | | |
| | dermal | LD50 mg/kg | 300 | | |
| | inhalation (4 h) vapour | LC50 | 3 mg/l | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | |
| 9004-78-8 | Tetraethylene glycolmonophenyl ether | | | | |
| | oral | ATE mg/kg | 500 | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 7 of 9

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 1381mg O₂/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: not applicable

14.2. UN proper shipping name: not applicable

14.3. Transport hazard class(es): not applicable

14.4. Packing group: not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 8 of 9

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

Safety Data Sheet

according to UK REACH Regulation

210 MICRON Speed Wax

Revision date: 12.12.2022

Product code: c2100_sd

Page 9 of 9

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H412 | Harmful to aquatic life with long lasting effects. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)