

according to UK REACH Regulation

301	Clarofl	ос
-----	---------	----

Revision date: 12.12.2022

Product code: c3010 sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier 301 Clarofloc UFI 9GE0-N04D-000F-P2W5 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional water treatment 1.3. Details of the supplier of the safety data sheet Company name: KAW KIEHL KG Street: Oskar-von-Miller-Str. 1 Place: D-85235 Odelzhausen +49 8134 9305-40 Telephone: Telefax: +49 8134 5145 e-mail: info@kiehl-group.com Contact person: Laboratory department Internet: www.kiehl-group.com Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Emergency telephone number for all other countries: +49/8134/9305-169 Tel. +43 (0) 1 / 604 99 93 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 **KIEHL Middle East LLC** A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: **Pictograms:**

Warning



Hazard statements H290

May be corrosive to metals.



according to UK REACH Regulation

301 Clarofloc					
Revision date: 12.12.2022	Product code: c3010_sd	Page 2 of 8			
H319	Causes serious eye irritation.				
Precautionary statemer	Precautionary statements				
P280	Wear eye protection.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
2.3. Other hazards					
None known.					
SECTION 3: Composition/information on ingredients					

3.2. Mixtures

Chemical characterization

Flocculating agent

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
Classification (GB CLP Regulation)				
39290-78-3	3 Aluminum chloride hydroxide sulfate			15 - 35 %
	254-400-7		01-2119531540-51	
Met. Corr. 1, Eye Irrit. 2; H290 H319				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.



according to UK REACH Regulation

301 Clarofloc

Revision date: 12.12.2022

Product code: c3010_sd

Page 3 of 8

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep at temperatures below 40 °C. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Store at room temperature in the original container. Keep container tightly closed. Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection



Page 4 of 8

according to UK REACH Regulation

301 Clarofloc Product code: c3010 sd

Revision date: 12.12.2022

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Dhysical states	liau di al		
Physical state:	liquid		
Colour:	colourless		
Odour:	none		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and		>98 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		not determined	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		approx. 3,0	K-QP1012C
Viscosity / kinematic:		not determined	
Water solubility:		miscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		22 hPa	
Density (at 20 °C):		1,16 g/cm³	K-QP1012E
Relative vapour density:		not determined	
2. Other information			

9.2. Other information

Information with regard to physical hazard classes



according to UK REACH Regulation

301 Clarofloc			
Revision date: 12.12.2022	Product code: c3010_sd	Page 5 of 8	
Explosive properties			
Not explosive			
Self-ignition temperature			
Solid:	not applicable		
Gas:	not applicable		
Oxidizing properties			
Not relevant			
Other safety characteristics			
Evaporation rate:	not determined		
Solid content:	not determined		
Sublimation point:	not applicable		
Softening point:	not applicable		
Pour point:	not applicable		
Viscosity / dynamic:	10 - 150 mPa s		
(at 20 °C)			
Flow time:	not determined		

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

301 Clarofloc

Revision date: 12.12.2022

Product code: c3010_sd

Page 6 of 8

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

060312

List of Wastes Code - used product

060312

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Aluminumhydroxidechloridesulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



according to UK REACH Regulation

	301 Clarofloc	
Revision date: 12.12.2022	Product code: c3010_sd	Page 7 of 8
	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
	(Aluminumhydroxidechloridesulfate)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
	8	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Segregation group:	Acids	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Not required		
14.7. Maritime transport in bulk according	to IMO instruments	
Not relevant		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII)	:	
Entry 3		
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
	i - signity hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sub-	stances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



according to UK REACH Regulation

30	1 Clarofloc	
Revision date: 12.12.2022 Produ	uct code: c3010_sd	Page 8 of 8
IMDG: International Maritime Code for Dangerous GodIATA: International Air Transport AssociationGHS: Globally Harmonized System of Classification arEINECS: European Inventory of Existing Commercial OELINCS: European List of Notified Chemical SubstancCAS: Chemical Abstracts ServiceLC50: Lethal concentration, 50%LD50: Lethal dose, 50%CLP: Classification, labelling and PackagingREACH: Registration, Evaluation and Authorization ofGHS: Globally Harmonised System of Classification, LUN: United NationsDNEL: Derived No Effect LevelPMEC: Predicted No Effect ConcentrationATE: Acute toxicity estimateLL50: Lethal loading, 50%EL50: Effective Concentration 50%, growth rateNOEC: No Observed Effect ConcentrationBCF: Bio-concentration factorPBT: persistent, bioaccumulative, toxicvPvB: very persistent, very bioaccumulativeRID: Regulations concerning the international carriage	e of dangerous goods by rail al Carriage of Dangerous Goods by Inland Waterways marchandises dangereuses par voies de navigation	Page 8 of 8

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Met. Corr. 1; H290	On basis of test data	
Eye Irrit. 2; H319	Calculation method	
Relevant H and EU	H statements (number and full text)	
H290	May be corrosive to metals.	

H290May be corrosive to metals.H319Causes serious eye irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)