

according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180\_sd

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier 418 XMAX Truwa Plus

UFI:

0CF0-Q01C-200D-9GQT

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Product for professional cleaning and maintenance

#### 1.3. Details of the supplier of the safety data sheet

| 1.3. Details of the supplier of | i life salely uala sheel |                                |                               |  |
|---------------------------------|--------------------------|--------------------------------|-------------------------------|--|
| Company name:                   | KAW KIEH                 | L KG                           |                               |  |
| Street:                         | Oskar-von-Mille          | r-Str. 1                       |                               |  |
| Place:                          | D-85235 Odelzł           | nausen                         |                               |  |
| Telephone:                      | +49 8134 9305-           | 40                             | Telefax:+49 8134 5145         |  |
| e-mail:                         | info@kiehl-grou          | info@kiehl-group.com           |                               |  |
| Contact person:                 | Laboratory depa          | Laboratory department          |                               |  |
| Internet:                       | www.kiehl-grou           | o.com                          |                               |  |
| Responsible Department:         | Notrufnummer f           | ür deutsch- und englischsprac  | hige Länder: +49/89/19240     |  |
|                                 | Vergiftungsinfor         | mationszentrale (VIZ) Österre  | ich: +43 1 406 43 43          |  |
|                                 | Nationale Notru          | fnummer für die Schweiz (Tox   | -Zentrum Zürich): 145         |  |
|                                 | Numéro d'urge            | ence France: INRS: +33 (0) 1   | 45 42 59 59                   |  |
|                                 | Numero d' emer           | genza Italia: Centro Antivelen | i - 20162 Milano: 02/66101029 |  |
|                                 | ETTSZ /Egészs            | égügyi Toxikológiai Tájékozta  | tó Szolgálat/, 1096 Budapest, |  |
|                                 | 0,                       | . Ügyeleti telefonszám: +36 8  |                               |  |
|                                 | Emergency tel            | ephone number for all other c  | ountries: +49/8134/9305-169   |  |
| KIEHL Austria GmbH              | Perfektastr. 57;         | A-1230 Wien                    | Tel. +43 (0) 1 / 604 99 93    |  |
| KIEHL FRANCE S.A.R.L.           | 5, rue de Londres;       | F-67670 Mommenheim             | Tél. +33 (0) 3.88.59.52.25    |  |
| KIEHL Italia s.r.l.             | Via San Rocco, 101;      | I-16036 Recco (GE)             | Tel. +39 / 0185 730 008       |  |
| KIEHL Schweiz AG                | St. Dionys-Str. 33;      | CH-8645 Jona                   | Tel. +41 (0) 55 / 254 74 74   |  |
| KIEHL Hungary Kft.              | Felsöipari körút 3/ D    | HU-2142 Nagytarcsa             | Tel. +36 (0) 1 / 348-08 41    |  |
| KIEHL Middle East LLC           | A8-LIU 48/49 - KIZAD     | Abu Dhabi, U.A.E.              | Tel. +971 2 550 33 96         |  |

#### 1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

# <u>number:</u>

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### GB CLP Regulation

Hazard components for labelling

Sodium Hydroxide

Signal word:

Pictograms:





# according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180\_sd

Page 2 of 9

Hazard statements

H314

Causes severe skin burns and eye damage.

#### Precautionary statements

| -<br>          | Wear protective gloves/protective elething/ave protection/face protection              |
|----------------|--|
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.             |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
|                | present and easy to do. Continue rinsing.  |
| P308+P313      | IF exposed or concerned: Get medical advice/attention.                                 |
|                |  |

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants 5-15%, phosphonates <5%, alkalis, complexing agents, solubilizers, corrosion inhibitors

#### Hazardous components

| CAS No     | Chemical name                       | Chemical name |                  | Quantity   |
|------------|-------------------------------------|---------------|------------------|------------|
|            | EC No                               | Index No      | REACH No         |            |
|            | Classification (GB CLP Regulation)  | )             |                  |            |
| 68439-57-6 | Olefinsulfonate-Na-salt             |               |                  | 5 - < 10 % |
|            | 270-407-8                           |               | 01-2119513401-57 |            |
|            | Skin Irrit. 2, Eye Dam. 1; H315 H31 | 8             |                  |            |
| 1310-73-2  | Sodium hydroxide                    |               |                  | 1 - < 5 %  |
|            | 215-185-5                           | 011-002-00-6  | 02-2119752469-26 |            |
|            | Skin Corr. 1A; H314                 |               |                  |            |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No   | hemical name Quantity              |  |  |
|------------|---|------------------------------------|--|--|
|            | Specific Conc. Limits, M-factors and ATE  |                                    |  |  |
| 68439-57-6 | 270-407-8   | Olefinsulfonate-Na-salt 5 - < 10 % |  |  |
|            | Skin Irrit. 2; H315: >= 5 - 100 Eye Dam. 1; H318: >= 38 - 100 Eye Irrit. 2; H319: >= 5 - < 38   |                                    |  |  |
| 1310-73-2  | 215-185-5   | 1 - < 5 % Sodium hydroxide         |  |  |
|            | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - <<br>2 Eye Irrit. 2; H319: >= 0,5 - < 2 |                                    |  |  |

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Avoid contact with skin and eyes.

# After inhalation

not hazardous by inhalation

# After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.



# according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180 sd

Page 3 of 9

## After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

# 5.2. Special hazards arising from the substance or mixture

This information is not available.

#### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothing.

## For non-emergency personnel

Use personal protection equipment.

#### For emergency responders

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not flush into surface water.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin and eyes.

# Advice on protection against fire and explosion

No special protective measures against fire required.

# Advice on general occupational hygiene

## General industrial hygiene practice.



according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180\_sd

Page 4 of 9

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store near acids.

Further information on storage conditions Keep container tightly closed. Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

This information is not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

| CAS No    | Substance        | ppm | mg/m³ | fibres/ml | Category      | Origin |
|-----------|------------------|-----|-------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | -   | 2     |           | STEL (15 min) | WEL    |

#### 8.2. Exposure controls

#### Appropriate engineering controls

#### Not required.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166

#### Hand protection

#### Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Not required

#### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Physical state:<br>Colour:<br>Odour:       | liquid<br>yellow<br>characteristic |                |             |
|--|------------------------------------|----------------|-------------|
|  |                                    |                | Test method |
| Melting point/freezing point:              |                                    | 2° 0>          |             |
| Boiling point or initial boiling point and |                                    | >98 °C         |             |
| boiling range:                             |                                    |                |             |
| Flammability                               |                                    |                |             |
| Solid/liquid:                              |                                    | not applicable |             |
| Lower explosion limits:                    |                                    | not applicable |             |



# according to UK REACH Regulation

| 418 XMAX Truwa Plus                            |                                  |             |
|--|----------------------------------|-------------|
| Revision date: 12.12.2022                      | Product code: c4180_sd           | Page 5 of 9 |
| Upper explosion limits:                        | not applicable                   |             |
| Flash point:                                   | >100 °C                          |             |
| Auto-ignition temperature:                     | not applicable                   |             |
| Decomposition temperature:                     | not determined                   |             |
| pH-Value (at 20 °C):                           | > 13,5                           | K-QP1012C   |
| Viscosity / kinematic:                         | not determined                   |             |
| Water solubility:                              | completely miscible              |             |
| (at 20 °C)                                     |                                  |             |
| Solubility in other solvents                   |                                  |             |
| not determined                                 |                                  |             |
| Partition coefficient n-octanol/water:         | not determined                   |             |
| Vapour pressure:                               | not determined                   |             |
| Density (at 20 °C):                            | 1,15 g/cm³<br>not determined     | K-QP1012E   |
| Relative vapour density:                       | not determined                   |             |
| 9.2. Other information                         |                                  |             |
| Information with regard to physical hazard cla | ISSES                            |             |
| Explosive properties                           |                                  |             |
| Not explosive                                  |                                  |             |
| Self-ignition temperature<br>Solid:            | not applicable                   |             |
| Gas:   | not applicable<br>not applicable |             |
| Oxidizing properties                           | not applicable                   |             |
| Not relevant                                   |                                  |             |
| Other safety characteristics                   |                                  |             |
| Evaporation rate:                              | not determined                   |             |
| Solid content:                                 | not determined                   |             |
| Sublimation point:                             | not applicable                   |             |
| Softening point:                               | not applicable                   |             |
| Pour point:                                    | not applicable                   |             |
| Viscosity / dynamic:                           | not determined                   |             |
| Flow time:                                     | not determined                   |             |

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This information is not available.

# 10.2. Chemical stability

This information is not available.

# 10.3. Possibility of hazardous reactions

This information is not available.

# 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

# 10.5. Incompatible materials

This information is not available.

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

## Further information

Do not mix with other detergents or chemicals.

# **SECTION 11: Toxicological information**



## according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180\_sd

Page 6 of 9

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This information is not available.

#### Further information

Health injuries are not known or expected under normal use.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

# 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC. Readily biodegradable, according to appropriate OECD test.

## 12.3. Bioaccumulative potential

This information is not available.

# 12.4. Mobility in soil

This information is not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

This information is not available.

#### Further information

Chemical Oxygen Demand (COD): 480mg O2/g

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not dispose of waste into sewer.

#### List of Wastes Code - residues/unused products



according to UK REACH Regulation

|                                   | 418 XMAX Truwa Plus   |             |
|-----------------------------------|---|-------------|
| Revision date: 12.12.2022         | Product code: c4180_sd  | Page 7 of 9 |
|                                   | ANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, nfectants and cosmetics; wastes not otherwise specified    |             |
|                                   | ANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,<br>nfectants and cosmetics; wastes not otherwise specified |             |
| Contaminated packaging            | cleaned containers to the company for recycling.  |             |
| SECTION 14: Transport information |   |             |
| Land transport (ADR/RID)          |   |             |
| 14.1. UN number or ID number:     | UN 1824   |             |
| 14.2. UN proper shipping name:    | SODIUM HYDROXIDE SOLUTION   |             |
| 14.3. Transport hazard class(es): | 8   |             |
| 14.4. Packing group:              |   |             |
| Hazard label:                     | 8   |             |
|                                   |   |             |
|                                   |   |             |
|                                   |   |             |
|                                   |   |             |
| Classification code:              | C5  |             |
| Limited quantity:                 | 5 L   |             |
| Excepted quantity:                | E1  |             |
| Transport category:               | 3   |             |
| Hazard No:                        | 80  |             |
| Tunnel restriction code:          | E   |             |
| nland waterways transport (ADN)   |   |             |
| 14.1. UN number or ID number:     | UN 1824   |             |
| 14.2. UN proper shipping name:    | SODIUM HYDROXIDE SOLUTION   |             |
| 14.3. Transport hazard class(es): | 8   |             |
| 14.4. Packing group:              | III   |             |
| Hazard label:                     | 8   |             |
|                                   |   |             |
| Classification code:              | C5  |             |
| Limited quantity:                 | 5 L   |             |
| Excepted quantity:                | E1  |             |
| Aarine transport (IMDG)           |   |             |
| 14.1. UN number or ID number:     | UN 1824   |             |
| 14.2. UN proper shipping name:    | SODIUM HYDROXIDE, SOLUTION  |             |
| 14.3. Transport hazard class(es): | 8   |             |
| 14.4. Packing group:              |   |             |
| Hazard label:                     | 8   |             |
|                                   |   |             |
| Special Provisions:               | 223   |             |
| Limited quantity:                 | <br>E   |             |

EmS:

Limited quantity:

Excepted quantity:

Segregation group:

5 L

E1 F-A, S-B

alkalis



# according to UK REACH Regulation

Product code: c4180 sd

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

#### 14.6. Special precautions for user

Not required

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

# National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

Page 8 of 9



# according to UK REACH Regulation

# 418 XMAX Truwa Plus

Revision date: 12.12.2022

Product code: c4180\_sd

Page 9 of 9

intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification                                       |  | Classification procedure   |  |
|--|--|----------------------------|--|
| Skin Corr. 1B; H314 Calculation method               |  |                            |  |
| Relevant H and EUH statements (number and full text) |  |                            |  |
| H314   | Causes severe skin burns and eye damage. |                            |  |
| H315   | Causes skin irritation.                  |                            |  |
| H318   | Cause                                    | Causes serious eye damage. |  |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)