

according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

603 Fortex Duo

UFI: WSF0-70GA-K00V-M6N4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

#### 1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG
Street: Oskar-von-Miller-Str. 1
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-40 Telefax: +49 8134 5145

e-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsőipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

### 1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### **GB CLP Regulation**

## Hazard components for labelling

Phosphoric Acid

Signal word: Danger

Pictograms:





## according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 2 of 10

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

## 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

according to 648/2004/CE: nonionic surfactants 5-15%, inorganic acids, organic acids, water-soluble solvents, fragrances (Limonene)

## **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
7664-38-2	Phosphoric acid			25 - < 30 %	
	231-633-2	015-011-00-6	02-2119752438-31		
	Skin Corr. 1B; H314				
111-76-2	2-Butoxyethanol		15 - < 20 %		
	203-905-0		01-2119475108-36		
	Acute Tox. 4, Acute Tox. 4, Skin Irr	319			
100-51-6	benzyl alcohol	5 - < 10 %			
	202-859-9	603-057-00-5	01-2119492630-38		
	Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H332 H302 H319				
69011-36-5	i-C13-Fatty alcohol polyglycol ether		5 - < 10 %		
	931-138-8				
	Acute Tox. 4, Eye Dam. 1; H302 H318				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7664-38-2	231-633-2	Phosphoric acid	25 - < 30 %	
	Skin Corr. 1B; F 25	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - <		
111-76-2	203-905-0	2-Butoxyethanol	15 - < 20 %	
	inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 500 mg/kg			
100-51-6	202-859-9	benzyl alcohol	5 - < 10 %	
	inhalation: ATE 1230 mg/kg	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =		
69011-36-5	931-138-8	i-C13-Fatty alcohol polyglycol ethers 5-12 EO	5 - < 10 %	
	oral: ATE = 500	D mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10		





#### according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 3 of 10

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Avoid contact with skin and eyes.

#### After inhalation

Take the victim into fresh air.

Consult a physician.

#### After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

### 5.2. Special hazards arising from the substance or mixture

This information is not available.

#### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with skin, eyes and clothing.

# For non-emergency personnel

Use personal protection equipment.

### For emergency responders

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not flush into surface water.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.



#### according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 4 of 10

#### Other information

Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin and eyes.

## Advice on protection against fire and explosion

No special protective measures against fire required.

### Advice on general occupational hygiene

General industrial hygiene practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with alkalis

## Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

Keep in a well-ventilated place.

## 7.3. Specific end use(s)

This information is not available.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol	I	Post shift

#### 8.2. Exposure controls

### Appropriate engineering controls

Not required.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166



#### according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 5 of 10

#### Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

#### Skin protection

Wear suitable protective clothing.

### Respiratory protection

Not required

#### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: characteristic

Test method

not determined

Melting point/freezing point: <0 °C
Boiling point or initial boiling point and >78 °C

boiling range: Flammability

Solid/liquid: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Flash point: >60 °C
Auto-ignition temperature: >200 °C

pH-Value (at 20 °C): < 0,5 K-QP1012C

Viscosity / kinematic: not determined
Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

Decomposition temperature:

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,14 g/cm³ K-QP1012E

Relative vapour density: not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties
Not explosive
Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

Not relevant

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Sublimation point: not applicable



## according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 6 of 10

Softening point:

Pour point:

Viscosity / dynamic:

not applicable

not determined

Flow time:

not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This information is not available.

#### 10.2. Chemical stability

This information is not available.

## 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

### 10.5. Incompatible materials

alkalis

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
111-76-2	2-Butoxyethanol					
	oral	LD50 mg/kg	500			
	dermal	LD50 mg/kg	300			
	inhalation (4 h) vapour	LC50	3 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
100-51-6	benzyl alcohol					
	oral	LD50 mg/kg	1230	Rat	GESTIS	
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO					
	oral	ATE mg/kg	500			

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 7 of 10

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This information is not available.

#### **Further information**

Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

#### 12.3. Bioaccumulative potential

This information is not available.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-51-6	benzyl alcohol	1,05

#### 12.4. Mobility in soil

This information is not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

This information is not available.

#### **Further information**

Chemical Oxygen Demand (COD) 818 mg O2/g

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified



according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 8 of 10

#### Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 1805

14.2. UN proper shipping name: PHOSPHORIC ACID, SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code:

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

C1

5 L

E1

R1

R2

R1

R2

R0

E

### Marine transport (IMDG)

14.1. UN number or ID number: UN 1805

14.2. UN proper shipping name: PHOSPHORIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: Acids

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

Not required

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

## **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water



### according to UK REACH Regulation

#### 603 Fortex Duo

Revision date: 12.12.2022 Product code: c6030\_sd Page 9 of 10

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.





## according to UK REACH Regulation

	603 Fortex Duo	
Revision date: 12.12.2022	Product code: c6030_sd	Page 10 of 10

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)