

according to UK REACH Regulation

| 605 | Fortex | Ultra |
|-----|--------|-------|
|-----|--------|-------|

Revision date: 12.12.2022

Product code: c6050_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier 605 Fortex Ultra UFI GVF0-R05Q-W00C-8J76 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: KAW KIEHL KG Street: Oskar-von-Miller-Str. 1 Place: D-85235 Odelzhausen +49 8134 9305-40 Telefax: +49 8134 5145 Telephone: e-mail: info@kiehl-group.com Contact person: Laboratory department www.kiehl-group.com Internet: Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Emergency telephone number for all other countries: +49/8134/9305-169 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 **KIEHL Middle East LLC** A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Methanesulphonic Acid

Signal word:

Pictograms:





according to UK REACH Regulation

| | 605 Fortex Ultra | |
|---------------------------|--|-------------|
| Revision date: 12.12.2022 | Product code: c6050_sd | Page 2 of 9 |
| Hazard statements | | |
| H314 | Causes severe skin burns and eye damage. | |
| Precautionary statemer | nts | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. | |

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: amphoteric surfactants <5%, organic acids, water-soluble solvents, additives

Hazardous components

| CAS No | Chemical name | | | Quantity | |
|----------|--|--------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulation) | | | | |
| 75-75-2 | methanesulphonic acid | | | 30 - < 35 % | |
| | 200-898-6 | 607-145-00-4 | 01-2119491166-34 | | |
| | Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335 | | | | |
| 111-76-2 | 2-Butoxyethanol | | | 1 - < 5 % | |
| | 203-905-0 | | 01-2119475108-36 | | |
| | Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--|------------------|-----------------------------------|-------------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 75-75-2 | 200-898-6 | methanesulphonic acid | 30 - < 35 % |
| | dermal: ATE = | 1100 mg/kg; oral: ATE = 500 mg/kg | |
| 111-76-2 | 203-905-0 | 2-Butoxyethanol | 1 - < 5 % |
| inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 500 mg/kg | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.



according to UK REACH Regulation

605 Fortex Ultra

Revision date: 12.12.2022

Product code: c6050_sd

Page 3 of 9

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.



according to UK REACH Regulation

605 Fortex Ultra

Revision date: 12.12.2022

Product code: c6050_sd

Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with alkalis

Further information on storage conditions Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|-----------------|-----|-------|-----------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol | 25 | 123 | | TWA (8 h) | WEL |
| | | 50 | 246 | | STEL (15 min) | WEL |

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|-----------------|-----------------------------------|-----------------|---------------|---------------|
| 111-76-2 | 2-Butoxyethanol | butoxyacetic acid (creatinine) | 240 mmol/mol | | Post shift |

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid |
|-----------------|----------------|
| Colour: | light yellow |
| Odour: | characteristic |



according to UK REACH Regulation

| 605 Fortex Ultra | | | | | |
|---|---|-----------|-------------|--|--|
| Revision date: 12.12.2022 | Product code: c6050_sd | | Page 5 of 9 | | |
| Melting point/freezing point: Boiling point or initial boiling point and | 0 °C89< ℃ | | | | |
| boiling range: | 290 0 | | | | |
| Flammability Solid/liquid: | not applicable | | | | |
| Lower explosion limits: | not applicable | | | | |
| Upper explosion limits: | not applicable | | | | |
| Flash point: | >100 °C | | | | |
| Auto-ignition temperature: | >100 °C | | | | |
| Decomposition temperature: | not determined | | | | |
| pH-Value (at 20 °C): | | K-QP1012C | | | |
| Viscosity / kinematic: | not determined | | | | |
| - | | | | | |
| Water solubility: (at 20 °C) | completely miscible | | | | |
| Solubility in other solvents | | | | | |
| not determined | | | | | |
| Partition coefficient n-octanol/water: | not determined | | | | |
| Vapour pressure: | not determined | | | | |
| Density (at 20 °C): Relative vapour density: | not determined | K-QP1012E | | | |
| | not determined | | | | |
| 9.2. Other information | | | | | |
| Information with regard to physical hazard class | es | | | | |
| Explosive properties | | | | | |
| Not explosive | | | | | |
| Self-ignition temperature | | | | | |
| Solid: Gas: | not applicable not applicable | | | | |
| Oxidizing properties | | | | | |
| Not relevant | | | | | |
| Other safety characteristics | | | | | |
| Evaporation rate: | not determined | | | | |
| Solid content: | not determined | | | | |
| Sublimation point: | not applicable | | | | |
| Softening point: | not applicable | | | | |
| Pour point: | not applicable | | | | |
| Viscosity / dynamic: | not determined | | | | |
| Flow time: | not determined | | | | |
| | | | | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

alkalis



according to UK REACH Regulation

605 Fortex Ultra

Revision date: 12.12.2022

Product code: c6050_sd

Page 6 of 9

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|----------|-------------------------|---------------|----------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 75-75-2 | methanesulphonic acid | | | | | |
| | oral | ATE mg/kg | 500 | | | |
| | dermal | ATE mg/kg | 1100 | | | |
| 111-76-2 | 2-Butoxyethanol | - | | | | |
| | oral | LD50 mg/kg | 500 | | | |
| | dermal | LD50 mg/kg | 300 | | | |
| | inhalation (4 h) vapour | LC50 | 3 mg/l | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential



according to UK REACH Regulation

605 Fortex Ultra

Revision date: 12.12.2022

Product code: c6050_sd

Page 7 of 9

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 194mg O2/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

. . . _ _ ._ ._ .

| Land transport (ADR/RID) | |
|-----------------------------------|---|
| 14.1. UN number or ID number: | UN 3265 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic |
| | acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| | 8 |
| Classification code: | C3 |
| Special Provisions: | 274 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 3265 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulphonic |
| <u> </u> | acid) |
| 14.3. Transport hazard class(es): | 8 |



according to UK REACH Regulation

| | 605 Fortex Ultra | |
|--|--|-------------|
| Revision date: 12.12.2022 | Product code: c6050_sd | Page 8 of 9 |
| 14.4. Packing group: | III | |
| Hazard label: | 8 | |
| Special Provisions: | 223, 274 | |
| Limited quantity: | 5 L | |
| Excepted quantity: | E1 | |
| EmS: | F-A, S-B | |
| Segregation group: | Acids | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| <u>14.6. Special precautions for user</u> Not required | | |
| 14.7. Maritime transport in bulk according | to IMO instruments | |
| not applicable | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental rec EU regulatory information Restrictions on use (REACH, annex XVI | ulations/legislation specific for the substance or m | ixture |
| Entry 3, Entry 75 | | |
| | | |

National regulatory information

1 - slightly hazardous to water

15.2. Chemical safety assessment

Water hazard class (D):

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50%



according to UK REACH Regulation

605 Fortex Ultra

Revision date: 12.12.2022

Product code: c6050_sd

Page 9 of 9

EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Corr. 1B; H314 | Calculation method |

Relevant H and EUH statements (number and full text)

| H290 | May be corrosive to metals. |
|------|--|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)