

according to UK REACH Regulation

Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Anti-freeze -30 °C

UFI: XRH0-V0CF-N008-T21M

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for cleaning and maintenance

## 1.3. Details of the supplier of the safety data sheet

Company name: KAW KIEHL KG
Street: Oskar-von-Miller-Str. 1
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-40 Telefax: +49 8134 5145

e-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsőipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

### 1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### **GB CLP Regulation**

# Hazard components for labelling

Ethanol

Signal word: Warning

Pictograms:





### according to UK REACH Regulation

Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 2 of 8

#### **Hazard statements**

H226 Flammable liquid and vapour.

### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P101 If medical advice is needed, have product container or label at hand.

P403+P235 Store in a well-ventilated place. Keep cool.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

according to 648/2004/CE: anionic surfactants <5%, water-soluble solvents, additives, dyes, fragrances

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64-17-5	Ethanol			25 - 50 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2; H225			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

No hazards which require special first aid measures.

## After inhalation

not hazardous by inhalation

## After contact with skin

Wash off with plenty of water.

### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician if necessary.

# 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media





### according to UK REACH Regulation

### Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 3 of 8

### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

### 5.2. Special hazards arising from the substance or mixture

This information is not available.

### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid contact with eyes.

# For non-emergency personnel

No special measures are necessary.

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Do not flush into surface water.

# 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Never return spills in original containers for re-use.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation.

### Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

### Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required. When using do not smoke.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with oxidizing and self-igniting products.

(See also section 10)

#### Further information on storage conditions

Keep away from heat and sources of ignition.

Keep container tightly closed.

Never return unused material to storage receptacle.



according to UK REACH Regulation

### Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 4 of 8

### 7.3. Specific end use(s)

This information is not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### 8.2. Exposure controls

#### Appropriate engineering controls

Not required.

## Individual protection measures, such as personal protective equipment

Skin protection

Not required

## Respiratory protection

Not required

### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: blue
Odour: alcoholic

Test method

Melting point/freezing point: not determined

Boiling point or initial boiling point and >78 °C

boiling range: Flammability

Solid/liquid: not applicable
Lower explosion limits: 0,9 vol. %
Upper explosion limits: 15,0 vol. %
Flash point: 25 °C

Auto-ignition temperature: 425 °C

Decomposition temperature: not determined

pH-Value (at 20 °C): approx. 7,0 K-QP1012C

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 57 hPa

(at 20 °C)

Density (at 20 °C): 0,94 g/cm³ K-QP1012E

Relative vapour density: not determined

## 9.2. Other information



### according to UK REACH Regulation

### Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 5 of 8

## Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

Not relevant

## Other safety characteristics

Evaporation rate:

Solid content:

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

not determined
not applicable
not applicable
not applicable
not applicable
not determined
rot determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This information is not available.

#### 10.2. Chemical stability

This information is not available.

### 10.3. Possibility of hazardous reactions

This information is not available.

# 10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

## 10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.





### according to UK REACH Regulation

#### Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 6 of 8

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

## **Endocrine disrupting properties**

This information is not available.

#### **Further information**

Health injuries are not known or expected under normal use.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

Readily biodegradable, according to appropriate OECD test.

### 12.3. Bioaccumulative potential

This information is not available.

#### 12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

This information is not available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

# List of Wastes Code - residues/unused products

200399 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; other

municipal wastes; municipal wastes not otherwise specified

## List of Wastes Code - used product

200399 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; other

municipal wastes; municipal wastes not otherwise specified

## Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)



### according to UK REACH Regulation

	Anti-freeze -30 °C	
Revision date: 12.12.2022	Product code: c7420_sd	Page 7 of 8

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 144, 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

# 14.7. Maritime transport in bulk according to IMO instruments

Not relevant

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

# **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route





### according to UK REACH Regulation

### Anti-freeze -30 °C

Revision date: 12.12.2022 Product code: c7420\_sd Page 8 of 8

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)