

according to UK REACH Regulation

Scheibenenteiser

Revision date: 12.12.2022

Product code: c7430_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Scheibenenteiser UFI UUH0-D01U-X00R-GDMP 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: KAW KIEHL KG Street: Oskar-von-Miller-Str. 1 Place: D-85235 Odelzhausen +49 8134 9305-40 Telefax: +49 8134 5145 Telephone: e-mail: info@kiehl-group.com Contact person: Laboratory department www.kiehl-group.com Internet: Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Emergency telephone number for all other countries: +49/8134/9305-169 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 **KIEHL Middle East LLC** A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Ethyl Alcohol

Signal word:

Pictograms:





according to UK REACH Regulation

Scheibenenteiser

Revision date: 12.12.2022

Product code: c7430_sd

Page 2 of 9

Hazard statements

H226

Flammable liquid and vapour.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P101	If medical advice is needed, have product container or label at hand.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

water-soluble solvents, additives

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regula	tion)		
64-17-5	Ethanol			50 - < 55 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2; H225			
107-21-1	ethanediol, ethylene glycol			5 - < 10 %
	203-473-3	603-027-00-1	01-2119456816-28	
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
107-21-1	203-473-3 ethanediol, ethylene glycol		5 - < 10 %
dermal: LD50 = 10600 mg/kg; oral: ATE = 500 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.



Page 3 of 9

Safety Data Sheet

according to UK REACH Regulation

Scheibenenteiser Product code: c7430 sd

Revision date: 12.12.2022

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with eyes.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required. When using do not smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.



according to UK REACH Regulation

Scheibenenteiser

Revision date: 12.12.2022

Product code: c7430_sd

Page 4 of 9

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with oxidizing and self-igniting products. (See also section 10)

Further information on storage conditions

Keep away from heat and sources of ignition. Keep container tightly closed. Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	alcoholic		
			Test metho
Melting point/freezing point:		<-40 °C	
Boiling point or initial boiling point and		>78 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		23 °C	
Auto-ignition temperature:		not applicable	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		approx. 8,0	K-QP1012C



according to UK REACH Regulation

	Scheibenenteiser		
Revision date: 12.12.2022	Product code: c7430_sd		Page 5 of 9
Viscosity / kinematic:	not determined		
Water solubility:	completely miscible		
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:	not determined		
Vapour pressure:	not determined		
Density (at 20 °C):	, o	K-QP1012E	
Relative vapour density:	not determined		
3.2. Other information			
Information with regard to physical hazard	d classes		
Explosive properties			
Not explosive			
Self-ignition temperature			
Solid:	not applicable		
Gas:	not applicable		
Oxidizing properties			
Not relevant			
Other safety characteristics			
Evaporation rate:	not determined		
Solid content:	not determined		
Sublimation point:	not applicable		
Softening point:	not applicable		
Pour point:	not applicable		
Viscosity / dynamic:	not determined		
Flow time:	not determined		

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Scheibenenteiser

Revision date: 12.12.2022

Product code: c7430_sd

Page 6 of 9

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
107-21-1	ethanediol, ethylene glyc	ethanediol, ethylene glycol					
	oral	ATE mg/kg	500				
	dermal	LD50 mg/kg	10600	Rabbit	GESTIS		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

This information is not available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol, ethylene glycol	-1,36

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to UK REACH Regulation

Scheibenenteiser

Revision date: 12.12.2022

Product code: c7430_sd

Page 7 of 9

This information is not available.

Further information

Chemical Oxygen Demand (COD) 1108 mg O2/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

Lanu transport (ADR/RID)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	
Hazard label:	3
Special Provisions:	144, 223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D
14.5. Environmental hazards	



according to UK REACH Regulation

	Scheibenenteiser	
Revision date: 12.12.2022	Product code: c7430_sd	Page 8 of 9
ENVIRONMENTALLY HAZARDOUS	No	

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40

National regulatory information

1 - slightly hazardous to water

15.2. Chemical safety assessment

Water hazard class (D):

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules



according to UK REACH Regulation

Scheibenenteiser					
Revision date: 12.12.2022Product code: c7430_sd					
MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to GB CLP Regulation					
Classification	Classifi	cation procedure			
Flam. Liq. 3; H226	On bas	s of test data			
Relevant H and EUH statements (number and full text)					
H225 Highly flammable liquid and vapour.					
H226 Flammable liquid and vapour.					
H302	Harmful if swa	llowed.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)