

according to UK REACH Regulation

761 Dewax P-I

Revision date: 12.12.2022

Product code: c7610 sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier 761 Dewax P-D UFI K0J0-D0EN-J00R-T2ST 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Product for professional cleaning and maintenance 1.3. Details of the supplier of the safety data sheet Company name: KAW KIEHL KG Street: Oskar-von-Miller-Str. 1 Place: D-85235 Odelzhausen +49 8134 9305-40 Telefax: +49 8134 5145 Telephone: e-mail: info@kiehl-group.com Contact person: Laboratory department www.kiehl-group.com Internet: Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Emergency telephone number for all other countries: +49/8134/9305-169 **KIEHL Austria GmbH** Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 **KIEHL FRANCE S.A.R.L.** 5. rue de Londres: F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 **KIEHL Schweiz AG** St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 KIEHL Hungary Kft. Felsöipari körút 3/ D HU-2142 Nagytarcsa Tel. +36 (0) 1 / 348-08 41 **KIEHL Middle East LLC** A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96 1.4. Emergency telephone +49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

C10-12 Alkane/Cycloalkane

Signal word:

Pictograms:





according to UK REACH Regulation

761 Dewax P-D			
Revision date: 12.12.2022	Product code: c7610_sd	Page 2 of 8	
Hazard statements			
H304	May be fatal if swallowed and enters airways.		
Precautionary statemer	nts		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.		
P331	Do NOT induce vomiting.		
P405	Store locked up.		

Special labelling of certain mixtures

EUH066

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

water-insoluble solvents

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-48-9	Hydrocarbons, dearomatized			100 %
	265-150-3		01-2119457273-39	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Risk of product entering the lungs on vomiting after ingestion. Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures



according to UK REACH Regulation

761 Dewax P-D

Revision date: 12.12.2022

Product code: c7610_sd

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

High volume water jet

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

No special environmental precautions required.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from heat and sources of ignition. Keep container tightly closed.



according to UK REACH Regulation

761 Dewax P-D

Revision date: 12.12.2022

Product code: c7610_sd

Page 4 of 8

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	light yellow		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<-20 °C	
Boiling point or initial boiling point and		>199 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		7,0 vol. %	
Flash point:		>60 °C	
Auto-ignition temperature:		> 200 °C	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		not applicable	
Viscosity / kinematic:		not determined	
Water solubility:		< 0,1 g/L	
(at 20 °C)			
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure: (at 20 °C)		0,15 hPa	
Density (at 20 °C):		0,79 g/cm³	K-QP1012E
Relative vapour density:		not determined	
2. Other information			



according to UK REACH Regulation

	761 Dewax P-D			
Revision date: 12.12.2022	Product code: c7610_sd	Page 5 of 8		
Information with regard to physical hazard	Information with regard to physical hazard classes			
Explosive properties				
Not explosive				
Self-ignition temperature				
Solid:	not applicable			
Gas:	not applicable			
Oxidizing properties				
Not relevant				
Other safety characteristics				
Evaporation rate:	not determined			
Solid content:	not determined			
Sublimation point:	not applicable			
Softening point:	not applicable			
Pour point:	not applicable			
Viscosity / dynamic:	not determined			
Flow time:	not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. None known.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.



according to UK REACH Regulation

761 Dewax P-D

Revision date: 12.12.2022

Product code: c7610_sd

Page 6 of 8

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Do not pour remains of product in large quantities into the sewage.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Dispose of as special waste in compliance with local and national regulations. Do not let product enter drains.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable



according to UK REACH Regulation 761 Dewax P-D Revision date: 12.12.2022 Product code: c7610 sd Page 7 of 8 ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable Other applicable information Not classified as dangerous in the meaning of transport regulations. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 National regulatory information Water hazard class (D): 1 - slightly hazardous to water 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out. **SECTION 16: Other information** Changes This data sheet contains changes from the previous version in section(s): 6 / 7 / 8 / 12 Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



according to UK REACH Regulation

761 Dewax P-D			
Revision date: 12.12.2022	Product code: c7610_sd	Page 8 of 8	
intérieures) EmS: Emergency Scho MFAG: Medical First A	id Guide I Convention for the Prevention of Marine Pollution from Ships Container		
For abbreviations and	acronyms, see table at http://abbrev.esdscom.eu		
Classification for mixtures	and used evaluation method according to GB CLP Regulation		
Classification	Classification procedure		
Asp. Tox. 1; H304	Calculation method		
Relevant H and EUH state H304	ements (number and full text) May be fatal if swallowed and enters airways.		

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)