

according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dopomat SNF

UFI: E800-P0U7-U007-TGNM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG

Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-0 Telefax: +49 8134 6466

E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5, rue de Londres; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 HU-2142 Nagytarcsa KIEHL Hungary Kft. Felsőipari körút 3/ D Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone +49/89/19240 (germanophone and anglophone)

<u>number:</u> For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:





according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 2 of 10

Hazard statements

H319 Causes serious eye irritation.
H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants 5-15%, soap <5%, Polycarboxylate <5%, water-soluble solvents, fragrances

Hazardous components

| CAS No | Chemical name | | | | |
|-------------|---|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulation) | | | | |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | | | | |
| | 931-138-8 | | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H3 | 318 | | | |
| 5131-66-8 | 3-Butoxypropan-2-ol | | 1 - < 5 % | | |
| | 225-878-4 | 603-052-00-8 | 01-2119475527-28 | | |
| | Skin Irrit. 2, Eye Irrit. 2; H315 H319 | | | | |
| 111905-53-4 | Fatty alcohols, alcoxylated | | | | |
| | | | 02-2119552554-37 | | |
| | Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H302 H319 H412 | | | | |
| 78-96-6 | 1-aminopropan-2-ol, isopropanolamine | | | | |
| | 201-162-7 | 603-082-00-1 | 01-2119475331-43 | | |
| | Acute Tox. 4, Skin Corr. 1B; H312 H314 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE


| CAS No | EC No | Chemical name | Quantity |
|-------------|---|---|-----------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 69011-36-5 | 931-138-8 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | 1 - < 5 % |
| | oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10 | | |
| 111905-53-4 | | Fatty alcohols, alcoxylated | |
| | oral: ATE = 500 mg/kg | | |
| 78-96-6 | 201-162-7 | 1-aminopropan-2-ol, isopropanolamine | 1 - < 5 % |
| | dermal: LD50 = 1600 mg/kg; oral: LD50 = 2700 mg/kg | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.





according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 3 of 10

After inhalation

No special measures are necessary.

After contact with skin

Wash with plenty of water.

After contact with eyes

Rinse cautiously with water for several minutes.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

no restriction

Unsuitable extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Safe handling: see section 7



according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

No special measures are necessary.

Further information on handling

No special handling advices are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Store in a place accessible by authorized persons only.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Skin protection

No special measures are necessary.

Respiratory protection

No special measures are necessary.

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: pleasant

Test method

Melting point/freezing point: <-8 °C
Boiling point or initial boiling point and >98 °C

boiling range:



according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 5 of 10

Flammability: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Flash point: >100 °C
Auto-ignition temperature: >300 °C
Decomposition temperature: not determined

pH-Value (at 20 °C): approx. 11.5 K-QP1012C

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,01 g/cm³ K-QP1012E

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not relevant

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties not relevant

Other safety characteristics

Evaporation rate:

Solid content:

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

not determined

not applicable
not applicable
not applicable
not applicable
not applicable
not determined

rot determined

rot determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Do not store at temperatures above 35°C

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

Further information

Do not mix with other detergents or chemicals.



according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 6 of 10

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-------------|---|--------------------|---------|--------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | | | | | |
| | oral | ATE 500 mg/kg | | | | |
| 111905-53-4 | Fatty alcohols, alcoxylated | | | | | |
| | oral | ATE 500 mg/kg | | | | |
| 78-96-6 | 1-aminopropan-2-ol, isopropanolamine | | | | | |
| | oral | LD50 2700 mg/kg | Rat | | | |
| | dermal | LD50 1600 mg/kg | Rabbit | | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Revision date: 12.12.2022

Safety Data Sheet

according to UK REACH Regulation

Dopomat SNFProduct code: j0504 sd

Page 7 of 10

| CAS No | Chemical name | | | | | | | |
|---------|---------------------------|--------------------------------------|---------|-----------|-------------------------|--------|--------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 78-96-6 | 1-aminopropan-2-ol, isopr | 1-aminopropan-2-ol, isopropanolamine | | | | | | |
| | Acute fish toxicity | LC50 460 mg/l | 220 - | 96 h | Leuciscus idus | IUCLID | | |
| | Acute algae toxicity | ErC50 | 23 mg/l | 1 | Desmodesmus subspicatus | IUCLID | | |
| | Acute crustacea toxicity | EC50 mg/l | 108,8 | 48 h | Daphnia | IUCLID | | |

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|--------------------------------------|---------|
| 78-96-6 | 1-aminopropan-2-ol, isopropanolamine | -0,96 |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Chemical Oxygen Demand (COD) 350 mg O2/g.

The product is tested according to its influences in waste water and corresponds to ÖNORM B 5105 (Austrian standard).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

 $070699 \qquad \text{WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,} \\$

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)



according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 8 of 10

14.1. UN number or ID number:not applicable14.2. UN proper shipping name:not applicable14.3. Transport hazard class(es):not applicable14.4. Packing group:not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

Dopomat SNF

Revision date: 12.12.2022 Product code: j0504_sd Page 9 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation


Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|------|--|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |





according to UK REACH Regulation

| | Dopomat SNF | |
|---------------------------|------------------------|---------------|
| Revision date: 12.12.2022 | Product code: j0504_sd | Page 10 of 10 |

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)