

## according to UK REACH Regulation

## **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Dopomat-intenso

UFI: MC00-60HN-400Q-GU7P

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

## 1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG

Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-0 Telefax: +49 8134 6466

E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5, rue de Londres; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; Tel. +41 (0) 55 / 254 74 74 CH-8645 Jona HU-2142 Nagytarcsa KIEHL Hungary Kft. Felsőipari körút 3/ D Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

**1.4. Emergency telephone** +49/89/19240 (germanophone and anglophone)

number: For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### **GB CLP Regulation**

# Hazard components for labelling

Potassium Hydroxide / Limonene
Signal word: Danger



# according to UK REACH Regulation

# **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 2 of 10

# Pictograms:





### **Hazard statements**

H318 Causes serious eye damage.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants <5%, soap <5%, phosphates <5%, alkalis, complexing agents, water-soluble solvents, fragrances (Limonene)

# **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)	Classification (GB CLP Regulation)			
112-34-5	2-(2-Butoxyethoxy)ethanol			1 - < 5 %	
	203-961-6	603-096-00-8	01-2119475104-44		
	Eye Irrit. 2; H319				
69011-36-5	i-C13-Fatty alcohol polyglycol ether	rs 5-12 EO		1 - < 5 %	
	931-138-8				
	Acute Tox. 4, Eye Dam. 1; H302 H318				
8028-48-6	Orange terpenes			1 - < 5 %	
	232-433-8				
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 1; H226 H315 H317 H304 H410				
1310-58-3	Potassium hydroxide			1 - 2 %	
	215-181-3	019-002-00-8	01-2119487136-33		
	Acute Tox. 4, Skin Corr. 1A; H302 H314				

Full text of H and EUH statements: see section 16.



## according to UK REACH Regulation

# **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 3 of 10

Specific Conc. Limits, M-factors and ATE

EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE		
931-138-8	i-C13-Fatty alcohol polyglycol ethers 5-12 EO	1 - < 5 %
oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10		
215-181-3	Potassium hydroxide	1 - 2 %
oral: LD50 = 273 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5		
2	Specific Conc. L 131-138-8 oral: ATE = 500 115-181-3 oral: LD50 = 27	Specific Conc. Limits, M-factors and ATE  i-C13-Fatty alcohol polyglycol ethers 5-12 EO  oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10  Potassium hydroxide

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Avoid contact with skin and eyes.

#### After inhalation

not hazardous by inhalation

### After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

## After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Any extinguishing means and measures are acceptable.

# 5.2. Special hazards arising from the substance or mixture

This information is not available.

# 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Avoid contact with skin and eyes.

# For non-emergency personnel

Use personal protection equipment.

### For emergency responders

Use personal protection equipment.

# 6.2. Environmental precautions

Do not flush into surface water.



## according to UK REACH Regulation

# **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 4 of 10

## 6.3. Methods and material for containment and cleaning up

### For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Never return spills in original containers for re-use.

### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with skin and eyes.

## Advice on protection against fire and explosion

Not required

### Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store near acids.

# Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

### 7.3. Specific end use(s)

This information is not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

## 8.2. Exposure controls

# Appropriate engineering controls

Not required

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Safety glasses with side-shields.



## according to UK REACH Regulation

# Dopomat-intenso

Revision date: 12.12.2022 Product code: j0506\_sd Page 5 of 10

## Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

### Skin protection

Wear suitable protective clothing.

# Respiratory protection

Not required

### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: pleasant

Test method

Melting point/freezing point: <0 °C
Boiling point or initial boiling point and >98 °C

boiling range:

Flammability: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Flash point: >100 °C
Auto-ignition temperature: >300 °C
Decomposition temperature: not determined

pH-Value (at 20 °C): approx. 13,0 K-QP1012C

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,10 g/cm³ K-QP1012E

Relative vapour density: not determined Particle characteristics: not applicable

# 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties
Not explosive
Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not relevant

Other safety characteristics

Evaporation rate: not determined
Solid content: not determined
Sublimation point: not applicable
Softening point: not applicable



## according to UK REACH Regulation

# **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 6 of 10

Pour point: not applicable Viscosity / dynamic: not determined Flow time: not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This information is not available.

# 10.2. Chemical stability

This information is not available.

# 10.3. Possibility of hazardous reactions

This information is not available.

## 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

## 10.5. Incompatible materials

This information is not available.

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### Further information

Do not mix with other detergents or chemicals.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	oral	ATE 500 mg/kg			
1310-58-3	Potassium hydroxide				
	oral	LD50 273 mg/kg	rat		

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

# Sensitising effects

May cause an allergic skin reaction. (Orange terpenes)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.



## according to UK REACH Regulation

## **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 7 of 10

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

# **Endocrine disrupting properties**

This information is not available.

#### **Further information**

Health injuries are not known or expected under normal use.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

### 12.3. Bioaccumulative potential

This information is not available.

### 12.4. Mobility in soil

This information is not available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

This information is not available.

### **Further information**

Chemical Oxygen Demand (COD) 650 mg O2/g.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not dispose of waste into sewer.

# List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

# List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable





# according to UK REACH Regulation

# **Dopomat-intenso**

Revision date: 12.12.2022 Product code: j0506\_sd Page 8 of 10

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

Not required

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## Other applicable information

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 55, Entry 75

# **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



## according to UK REACH Regulation

## Dopomat-intenso

Revision date: 12.12.2022 Product code: j0506\_sd Page 9 of 10

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Asp. Tox: Aspiration hazard
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure		
Skin Irrit. 2; H315	Calculation method		
Eye Dam. 1; H318	Calculation method		
Skin Sens. 1; H317	Calculation method		
Aquatic Chronic 3; H412	Calculation method		

## Relevant H and EUH statements (number and full text)



# according to UK REACH Regulation

Dopomat-intenso				
Revision date: 12.12.2022	Product code: j0506_sd	Page 10 of 10		
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)