

according to UK REACH Regulation

Li-	Ex
-----	----

Revision date: 12.12.2022

Product code: j1502_sd

Page 1 of 10

	of the substance/mixtur	e and of the company/und	lertaking		
1.1. Product identifier					
Li-Ex					
UFI:	1UM0-306R-P00	2-NAHA			
1.2. Relevant identified uses	of the substance or mixtu	re and uses advised against			
Use of the substance/mix	ture				
Product for profession	al cleaning and maintenance)			
1.3. Details of the supplier of	f the safety data sheet				
Company name:	JOHANNES	KIEHL KG			
Street:	Robert-Bosch-St	r. 9			
Place:	D-85235 Odelzha	ausen			
Telephone:	+49 8134 9305-0)	Telefax: +49 8134 6466		
E-mail:	info@kiehl-group	o.com			
Contact person:	Laboratory depart	rtment			
Internet:	www.kiehl-group.com				
Responsible Department:	Notrufnummer fü	r deutsch- und englischsprach	nige Länder: +49/89/19240		
	Vergiftungsinform	nationszentrale (VIZ) Österreid	ch: +43 1 406 43 43		
		nummer für die Schweiz (Tox-	,		
		nce France: INRS: +33 (0) 1 4			
		genza Italia: Centro Antiveleni			
		gügyi Toxikológiai Tájékoztató			
		Ügyeleti telefonszám: +36 80			
		kuse number: 112 / Mürgistust			
	Emergency lelep	hone number for all other cou	nines: +49/8134/9305-169		
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93		
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25		
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008		
KIEHL Schweiz AG KIEHL Hungary Kft.	St. Dionys-Str. 33; Felsöipari körút 3/ D	CH-8645 Jona HU-2142 Nagytarcsa	Tel. +41 (0) 55 / 254 74 74 Tel. +36 (0) 1 / 348-08 41		
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96		
1.4. Emergency telephone	+49/89/19240 (g	ermanophone and anglophone	e)		

number:

For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:





according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 2 of 10

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, soap <5%, complexing agents, water-soluble solvents, dyes, fragrances (Limonene)

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)		
112-34-5	2-(2-Butoxyethoxy)ethanol			10 - < 15 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
5131-66-8	3-Butoxypropan-2-ol			1 - < 5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H31			
122-99-6	2-Phenoxyethanol			1 - < 3 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Dam. 1, STOT	SE 3; H302 H318 H335		
68439-51-0	Alcohols, C12-14, ethoxylated pro	poxylated		1 - < 5 %
	Aquatic Chronic 3; H412			
141-43-5	2-Aminoethanol			1 - < 5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute H312 H302 H314 H335 H412	Tox. 4, Skin Corr. 1B, STO	T SE 3, Aquatic Chronic 3; H332	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name				
	Specific Conc. Limits, M-factors and ATE					
122-99-6	204-589-7	2-Phenoxyethanol	1 - < 3 %			
	oral: ATE 1394 mg/kg					
141-43-5	205-483-3 2-Aminoethanol					
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1720 mg/kg STOT SE 3; H335: >= 5 - 100					

SECTION 4: First aid measures

4.1. Description of first aid measures



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 3 of 10

General information

Avoid contact with skin and eyes.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. Take off contaminated clothing and shoes immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water. Never return spills in original containers for re-use.



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 4 of 10

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Smoking, eating and drinking should be prohibited in the application area. Wash hands after handling.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice. Use protective skin cream before handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL

Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Suitable protective gloves recommended.

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.



Page 5 of 10

according to UK REACH Regulation

Li-Ex	
Product code: j1502_	_sd

Revision date: 12.12.2022

Skin protection

Wear suitable protective clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.

9.1. Information on basic physical and cher	nical properties		
Physical state:	liquid		
Colour:	pink		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<-8 °C	
Boiling point or initial boiling point and		>98 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		not determined	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):			K-QP1012C
Viscosity / kinematic:		not determined	
Water solubility:		completely miscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):		1,02 g/cm³	K-QP1012E
Relative vapour density:		not determined	
Particle characteristics:		not applicable	
9.2. Other information			
Information with regard to physical haza	ard classes		
Explosive properties			
Not explosive			
Self-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Oxidizing properties			
Not relevant			
Other safety characteristics			
Evaporation rate:		not determined	
Solid content:		not determined	
Sublimation point:		not applicable	
Softening point:		not applicable	
Dour point:		not applicable	

Pour point:

Flow time:

Viscosity / dynamic:

not applicable

not determined

not determined



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 6 of 10

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
122-99-6	2-Phenoxyethanol					
	oral	ATE 139	4 mg/kg			
141-43-5	2-Aminoethanol					
	oral	LD50 mg/kg	1720	rat		
	dermal	LD50 mg/kg	1025	rabbit		
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	not applicable
14.2. UN proper shipping name:	not applicable
<u>14.3. Transport hazard class(es):</u>	not applicable
14.4. Packing group:	not applicable
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 8 of 10

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

Li-Ex

Revision date: 12.12.2022

Product code: j1502_sd

Page 9 of 10

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	lassification procedure		
Skin Irrit. 2; H315	Calculation method		
Eye Irrit. 2; H319	Calculation method		

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.



according to UK REACH Regulation

Li-Ex			
Revision date: 12.12.2022	Product code: j1502_sd	Page 10 of 10	
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H412	Harmful to aquatic life with long lasting effects.		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)