

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

RuginOff

UFI: 9X80-T0JA-S006-MYH4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)
For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**Acute Tox. 4; H302
Skin Sens. 1B; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Sodiumthioglycolate

Signal word: Warning

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 2 of 9

Pictograms:



Hazard statements

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

Precautionary statements

P301 IF SWALLOWED:
P315 Get immediate medical advice/attention.
P101 If medical advice is needed, have product container or label at hand.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305 IF IN EYES:
P351 Rinse cautiously with water for several minutes.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: anionic surfactants <5%, complexing agents, water-soluble solvents, solubilizers, fragrances

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
367-51-1	Sodium thioglycolate			10 - < 15 %
	206-696-4		01-2119968564-24	
	Met. Corr. 1, Acute Tox. 3, Acute Tox. 4, Skin Sens. 1B; H290 H301 H312 H317			
126-92-1	Sodium-isoalkylsulfate			1 - < 5 %
	204-812-8			
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
367-51-1	206-696-4	Sodium thioglycolate	10 - < 15 %
	dermal: ATE = 1100 mg/kg; oral: ATE = 100 mg/kg		
126-92-1	204-812-8	Sodium-isoalkylsulfate	1 - < 5 %
	Skin Irrit. 2; H315: >= 10 - 100 Eye Dam. 1; H318: >= 20 - 100 Eye Irrit. 2; H319: >= 10 - < 20		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

Take the victim into fresh air.

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 3 of 9

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with soap and plenty of water.
Take off contaminated clothing and shoes immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.

After ingestion

If conscious, drink plenty of water.
Induce vomiting, but only if victim is fully conscious.
If accidentally swallowed obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).
Clean contaminated articles and floor according to the environmental legislation.

Other information

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 4 of 9

7.1. Precautions for safe handling**Advice on safe handling**

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.2. Exposure controls****Appropriate engineering controls**

Not required

Individual protection measures, such as personal protective equipment**Hand protection**

Suitable protective gloves recommended.

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	slightly sulphurous

	Test method
Melting point/freezing point:	<0 °C
Boiling point or initial boiling point and boiling range:	>98 °C
Flammability:	not applicable
Lower explosion limits:	not applicable

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 5 of 9

Upper explosion limits:	not applicable
Flash point:	>100 °C
Auto-ignition temperature:	>200 °C
Decomposition temperature:	not determined
pH-Value (at 20 °C):	approx. 7,0 K-QP1012C
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,11 g/cm ³ K-QP1012E
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 6 of 9

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
367-51-1	Sodium thioglycolate				
	oral	ATE mg/kg 100			
	dermal	ATE mg/kg 1100			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Sodium thioglycolate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Irritating to eyes and skin.

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 7 of 9

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 244 mg O₂/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.
Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.
Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: not applicable
14.2. UN proper shipping name: not applicable
14.3. Transport hazard class(es): not applicable
14.4. Packing group: not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 3

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 8 of 9

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Met. Corr: Corrosive to metals

Acute Tox: Acute toxicity

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Skin Sens: Skin sensitisation

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Sens. 1B; H317	Calculation method

Safety Data Sheet

according to UK REACH Regulation

RuginOff

Revision date: 12.12.2022

Product code: j2108_sd

Page 9 of 9

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)