

according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240 sd

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kiehl-Colorfix 2.0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of	the safety data sheet			
Company name:	JOHANNES KIEHL KG			
Street:	Robert-Bosch-Str. 9			
Place:	D-85235 Odelzhausen			
Telephone:	+49 8134 9305-0		Telefax: +49 8134 6466	
E-mail:	info@kiehl-group.com			
Contact person:	Laboratory department			
Internet:	www.kiehl-group.com			
Responsible Department:	Notrufnummer für o	Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240		
	Vergiftungsinforma	Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43		
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59				
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budape Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199				
Emergency telephone number for all other countries: +49/8134/9305-169				
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93	
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25	
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008	
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74	
KIEHL Hungary Kft.	Felsöipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41	

1.4. Emergency telephone

KIEHL Middle East LLC

number:

+49/89/19240 (germanophone and anglophone) For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

Tel. +971 2 550 33 96

Abu Dhabi, U.A.E.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not required.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208

Contains 5-Chlor-2-methyl-4-isothiazolin-3-on 2-Methyl-4-isothiazolin-3-on. May produce

an allergic reaction.

A8-LIU 48/49 - KIZAD

Additional advice on labelling

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240_sd

Page 2 of 7

Chemical characterization water-soluble solvents, inorganic pigments

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).



according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240 sd

Page 3 of 7

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	black
Odour:	characteristic

Melting point/freezing point:

۱ 2° 0>



according to UK REACH Regulation

Kiehl-Colorfix 2.0				
Revision date: 12.12.2022	Product code: j2240_sd	Page 4 of 7		
Boiling point or initial boiling point and	>98 °C			
boiling range:				
Flammability:	not applicable			
Lower explosion limits:	not applicable			
Upper explosion limits:	not applicable			
Flash point:	not determined			
Auto-ignition temperature:	not determined			
Decomposition temperature:	not determined			
pH-Value (at 20 °C):	approx. 8,0	K-QP1012C		
Viscosity / kinematic:	not determined			
Water solubility:	completely miscible			
(at 20 °C)				
Solubility in other solvents				
not determined				
Partition coefficient n-octanol/water:	not determined			
Vapour pressure:	not determined			
Density (at 20 °C):	-	K-QP1012E		
Relative vapour density:	not determined			
Particle characteristics:	not applicable			
9.2. Other information				
Information with regard to physical hazard classe	S			
Explosive properties				
not relevant				
Self-ignition temperature				
Solid:	not applicable			
Gas:	not applicable			
Oxidizing properties				
not relevant				
Other safety characteristics				
Evaporation rate:	not determined			
Solid content:	not determined			
Sublimation point:	not applicable			
Softening point:	not applicable			
Pour point:	not applicable			
Viscosity / dynamic:	not determined			
Flow time:	not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.



according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240_sd

Page 5 of 7

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains 5-Chlor-2-methyl-4-isothiazolin-3-on 2-Methyl-4-isothiazolin-3-on. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations



according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240_sd

Page 6 of 7

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)				
14.1. UN number or ID number:	not applicable			
14.2. UN proper shipping name:	not applicable			
14.3. Transport hazard class(es):	not applicable			
14.4. Packing group:	not applicable			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Not required				
14.7. Maritime transport in bulk according to IMO instruments				
not applicable				
Other applicable information				
Not classified as dangerous in the meaning of transport regulations.				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
National regulatory information				
Water hazard class (D):	2 - obviously hazardous to water			

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

Kiehl-Colorfix 2.0

Revision date: 12.12.2022

Product code: j2240_sd

Page 7 of 7

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

EUH208 Contains 5-Chlor-2-methyl-4-isothiazolin-3-on 2-Methyl-4-isothiazolin-3-on. May produce an allergic reaction.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)