



## Safety Data Sheet

according to UK REACH Regulation

### Keradet-Aktiv

Revision date: 12.12.2022

Product code: j2502\_sd

Page 2 of 8

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-63-0	Isopropyl alcohol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO			1 - < 3 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
Polymer	Butanol, propoxylated, ethoxylated			1 - < 5 %
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
69011-36-5	931-138-8	i-C13-Fatty alcohol polyglycol ethers 5-12 EO	1 - < 3 %
	oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10		
Polymer	Butanol, propoxylated, ethoxylated		1 - < 5 %
	oral: ATE = 500 mg/kg		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

No special measures are necessary.

##### After inhalation

No special measures are necessary.

##### After contact with skin

Wash with plenty of water.

##### After contact with eyes

Rinse cautiously with water for several minutes.

##### After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting.

Call a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

no restriction

##### Unsuitable extinguishing media

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### Keradet-Aktiv

Revision date: 12.12.2022

Product code: j2502\_sd

Page 3 of 8

#### **5.2. Special hazards arising from the substance or mixture**

No information available.

#### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Avoid contact with skin, eyes and clothes.

##### **For non-emergency personnel**

No special measures are necessary.

##### **For emergency responders**

No special measures are necessary.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Never return spills in original containers for re-use.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Advice on general occupational hygiene**

No special measures are necessary.

##### **Further information on handling**

No special handling advices are necessary.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.

Store in a place accessible by authorized persons only.

##### **Hints on joint storage**

No special measures are necessary.

##### **Further information on storage conditions**

Keep container tightly closed.

Never return unused material to storage receptacle.

#### **7.3. Specific end use(s)**

## Safety Data Sheet

according to UK REACH Regulation

### Keradet-Aktiv

Revision date: 12.12.2022

Product code: j2502\_sd

Page 4 of 8

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Skin protection

No special measures are necessary.

##### Respiratory protection

No special measures are necessary.

##### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	pleasant

#### Test method

Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and boiling range:	>78 °C	
Flammability:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	48 °C	
Auto-ignition temperature:	>200 °C	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 7,0	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,00 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### 9.2. Other information

#### Information with regard to physical hazard classes

## Safety Data Sheet

according to UK REACH Regulation

### Keradet-Aktiv

Revision date: 12.12.2022

Product code: j2502\_sd

Page 5 of 8

#### Explosive properties

Not explosive

#### Sustaining combustion:

Not sustaining combustion

#### Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

#### Oxidizing properties

Not relevant

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Do not store at temperatures above 30°C

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

#### Further information

Do not mix with other detergents or chemicals.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATE<sub>mix</sub> calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
	oral	ATE 500 mg/kg			
Polymer	Butanol, propoxylated, ethoxylated				
	oral	ATE 500 mg/kg			

## Safety Data Sheet

according to UK REACH Regulation

### Keradet-Aktiv

Revision date: 12.12.2022

Product code: j2502\_sd

Page 6 of 8

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.  
Classification and labelling: On basis of test data.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

No information available.

#### Further information

Health injuries are not known or expected under normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### Further information

Chemical Oxygen Demand (COD) 840 mg O<sub>2</sub>/g.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains.

#### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### List of Wastes Code - used product

**Safety Data Sheet**

according to UK REACH Regulation

**Keradet-Aktiv**

Revision date: 12.12.2022

Product code: j2502\_sd

Page 7 of 8

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Clean container with water. Return cleaned containers to the company for recycling.  
Non-contaminated packages may be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** not applicable  
**14.2. UN proper shipping name:** not applicable  
**14.3. Transport hazard class(es):** not applicable  
**14.4. Packing group:** not applicable

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No special measures are necessary.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**Other applicable information**

Not classified as dangerous in the meaning of transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):  
Entry 40, Entry 75

**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

**Safety Data Sheet**

according to UK REACH Regulation

**Keradet-Aktiv**

Revision date: 12.12.2022

Product code: j2502\_sd

Page 8 of 8

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Eye Dam: Eye damage

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

**Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

**Further Information**

Classification and labelling: On basis of test data.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*