

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Desgoquat

UFI: NH20-U0SJ-T003-OCT9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional disinfection

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
 Street: Robert-Bosch-Str. 9
 Place: D-85235 Odelzhausen
 Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
 E-mail: info@kiehl-group.com
 Contact person: Laboratory department
 Internet: www.kiehl-group.com
 Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
 Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
 Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)
 For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290
 Skin Corr. 1B; H314
 Eye Dam. 1; H318
 Aquatic Acute 1; H400
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Ethanolamine / Didecyldimonium Chloride

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 2 of 12

Pictograms:



Hazard statements

- H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, alkalis, complexing agents, biocides

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
141-43-5	2-Aminoethanol			> 5 - <= 8 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H335 H412			
7173-51-5	didecyldimethylammonium chloride			5 - < 10 %
	230-525-2	612-131-00-6	01-2119945987-15	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H302 H314 H318 H400 H411			
584-08-7	Potassium carbonate			>= 5 - < 10 %
	209-529-3		01-2119532646-36	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			>= 1 - < 3 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
141-43-5	205-483-3	2-Aminoethanol	> 5 - <= 8 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1720 mg/kg STOT SE 3; H335: >= 5 - 100	
7173-51-5	230-525-2	didecyldimethylammonium chloride	5 - < 10 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = 329 mg/kg Aquatic Acute 1; H400: M=10	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

Move to fresh air.

If unconscious but breathing normally, place in recovery position and seek medical advice.

If breathing is irregular or stopped, administer artificial respiration.

No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus.

Give oxygen.

First aider needs to protect himself.

Call a physician or poison control centre immediately.

Keep respiratory tract clear.

Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and shoes immediately.

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Take victim immediately to hospital.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Call a physician immediately.

Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

Continue rinsing eyes during transport to hospital.

Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

After ingestion

Call a physician immediately.

Clean mouth with water and drink afterwards plenty of water.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 4 of 12

Suitable extinguishing media

Water
Carbon dioxide (CO₂)
Foam

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protective equipment.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.
Avoid subsoil penetration.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).
Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.
Provide sufficient air exchange and/or exhaust in work rooms.
Air exchange rate per hour: 3 (minimum)
Do not breathe vapours/dust.
When using, do not eat, drink or smoke.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Advice on general occupational hygiene

General industrial hygiene practice.

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 5 of 12

Further information on handling

- Wash hands before breaks and immediately after handling the product.
- Avoid contact with skin, eyes and clothes.
- Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed in a cool, well-ventilated place.
- To maintain product quality, do not store in heat or direct sunlight.
- Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Electrical installations / working materials must comply with the technological safety standards.
- Store in a place accessible by authorized persons only.

Hints on joint storage

- Keep away from food, drink and animal feedingstuffs.
- Do not store near acids.

Further information on storage conditions

- Never return unused material to storage receptacle.
- Protect from frost.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

- Tightly fitting safety goggles
- Face-shield
- Safety glasses with side-shields conforming to EN166
- Wear face-shield and protective suit for abnormal processing problems.

Hand protection

- Protective gloves
- Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

- Rubber or plastic apron
- Rubber or plastic boots
- Choose body protection according to the amount and concentration of the dangerous substance at the work

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 6 of 12

place.

Respiratory protection

In the case of vapour formation use a respirator with an approved filter.
respirator with ABEK filter
Respirator with a vapour filter (EN 141)

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: characteristic

Test method

Melting point/freezing point:	<-5 °C	
Boiling point or initial boiling point and boiling range:	>98 °C	
Flammability:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	> 60 °C	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 13,0	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,06 g/cm ³	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 7 of 12

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
141-43-5	2-Aminoethanol				
	oral	LD50 mg/kg	1720	rat	
	dermal	LD50 mg/kg	1025	rabbit	
	inhalation vapour	ATE	11 mg/l		
	inhalation dust/mist	ATE	1,5 mg/l		
7173-51-5	didecyldimethylammonium chloride				
	oral	LD50 mg/kg	329	rat	OECD Test Guideline 401
	dermal	LD50 mg/kg	>2000	rat	

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 8 of 12

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

It has been classified after the calculation procedure of the Dangerous Preparations Directive (88/379/EEC).

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7173-51-5	didecyldimethylammonium chloride					
	Acute fish toxicity	LC50	0,5 mg/l	96 h	Danio rerio (zebrafish)	
	Acute crustacea toxicity	EC50	0,03 mg/l	48 h	Daphnia	

12.2. Persistence and degradability

Readily biodegradable, according to appropriate OECD test. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 1186 mg O₂/g.

Do not contaminate water.

Avoid subsoil penetration.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 9 of 12

List of Wastes Code - used product


070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging


Clean container with water. Return cleaned containers to the company for recycling.
Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, Didecyldimonium chloride)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	
Classification code:	C9
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, Didecyldimonium chloride)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	
Marine pollutant:	yes
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 10 of 12

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 11 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Met. Corr: Corrosive to metals

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Safety Data Sheet

according to UK REACH Regulation

Desgoquat

Revision date: 12.12.2022

Product code: j3508_sd

Page 12 of 12

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)