

according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Desinet-pro

UFI: VHQ0-S0M2-500D-4WKA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional disinfection

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG

Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-0 Telefax: +49 8134 6466

E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5, rue de Londres; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 HU-2142 Nagytarcsa KIEHL Hungary Kft. Felsőipari körút 3/ D Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

1.4. Emergency telephone +49/89/19240 (germanophone and anglophone)

number: For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aguatic Chronic 1: H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Didecyldimonium Chloride / Laurylamine Dipropylenediamine

Signal word: Danger



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 2 of 11

Pictograms:







Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, biocides


Hazardous components

CAS No	Chemical name		Quantity		
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)			
7173-51-5	didecyldimethylammonium chloride				
	230-525-2	612-131-00-6	01-2119945987-15		
	Acute Tox. 4, Skin Corr. 1B, Eye D H400 H411	onic 2; H302 H314 H318			
2372-82-9	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine				
	219-145-8		01-2119980592-29		
	Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H301 H314 H373 H400 H410				
68213-23-0	Fettalkoholpolyglykolether				
	Eye Dam. 1; H318				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
7173-51-5	230-525-2	didecyldimethylammonium chloride	10 - < 15 %	
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 329 mg/kg Aquatic Acute 1; H400: M=10			
2372-82-9	219-145-8	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine	5 - < 10 %	
	dermal: LD50 =	= >600 mg/kg; oral: LD50 = 261 mg/kg		
Aquatic Chronic 1; H410: M=1				





according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

Provide fresh air.

If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2)

Extinguishing powder

Water spray jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.


Avoid subsoil penetration.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).





according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 4 of 11

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

Protect from frost. Keep away from direct sunlight.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 5 of 11

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Test method

Melting point/freezing point: <-5 °C
Boiling point or initial boiling point and >98 °C

boiling range:

Flammability: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Flash point: >100 °C
Auto-ignition temperature: not determined
Decomposition temperature: not determined

pH-Value (at 20 °C): approx. 10,5 K-QP1012C

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,01 g/cm³ K-QP1012E

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

Solid content:

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

Flow time:

not determined

not applicable

not applicable

not applicable

not applicable

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 6 of 11

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7173-51-5	didecyldimethylammonium chloride						
	oral	LD50 mg/kg	329	rat		OECD Test Guideline 401	
	dermal	LD50 mg/kg	>2000	rat			
2372-82-9	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine						
	oral	LD50 mg/kg	261	Rat			
	dermal	LD50 mg/kg	>600	Rat			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 7 of 11

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7173-51-5	didecyldimethylammonium chloride						
	Acute fish toxicity	LC50	0,5 mg/l	96 h	Danio rerio (zebrafish)		
	Acute crustacea toxicity	EC50 mg/l	0,03	48 h	Daphnia		
2372-82-9	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine						
	Acute fish toxicity	LC50 mg/l	0,068	96 h	Oncorhynchus mykiss (rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	0,054	96 h	Pseudokirchneriella subcapitata (green algae)		
	Acute crustacea toxicity	EC50 mg/l	0,073		Daphnia magna (Water flea)		
	Algae toxicity	NOEC mg/l	0,0069		Desmodesmus subspicatus		

12.2. Persistence and degradability

Readily biodegradable, according to appropriate OECD test. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Do not contaminate water.

Avoid subsoil penetration.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511 sd Page 8 of 11

List of Wastes Code - residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, 070699

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 1903 14.1. UN number or ID number:

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-Aminopropyl) 14.2. UN proper shipping name:

-N-dodecylpropan-1,3-diamin, Didecyldimethylammoniumchloride)

14.3. Transport hazard class(es): 8 14.4. Packing group: Ш 8

Hazard label:



Classification code: C_{0} **Special Provisions:** 274 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

Marine transport (IMDG)

14.1. UN number or ID number: UN 1903

14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-Aminopropyl)

-N-dodecylpropan-1,3-diamin, Didecyldimethylammoniumchlorid)

8 14.3. Transport hazard class(es): Ш 14.4. Packing group:

Hazard label: 8



Special Provisions: 223, 274 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments





according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 9 of 11

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to UK REACH Regulation

Desinet-pro

Revision date: 19.06.2023 Product code: j3511_sd Page 10 of 11

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

The second state of the second state and the second state of the s				
Classification	Classification procedure			
Acute Tox. 4; H302	Calculation method			
Skin Corr. 1A; H314				
Eye Dam. 1; H318	Calculation method			
Aquatic Chronic 1; H410	Calculation method			

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed



according to UK REACH Regulation

	Desinet-pro			
Revision date: 19.06.2023	Product code: j3511_sd	Page 11 of 11		
H314	Causes severe skin burns and eye damage.			
H318	Causes serious eye damage.			
H373	H373 May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)