

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Powerfix

UFI: XS20-C0UR-Q00K-0DJG

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG
Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen
Telephone: +49 8134 9305-0 Telefax: +49 8134 6466
E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240
Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43
Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145
Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59
Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029
ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,
Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199
Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662
Emergency telephone number for all other countries: +49/8134/9305-169

| | | | |
|-----------------------|-----------------------|--------------------|-----------------------------|
| KIEHL Austria GmbH | Perfektastr. 57; | A-1230 Wien | Tel. +43 (0) 1 / 604 99 93 |
| KIEHL FRANCE S.A.R.L. | 5, rue de Londres; | F-67670 Mommenheim | Tél. +33 (0) 3.88.59.52.25 |
| KIEHL Italia s.r.l. | Via San Rocco, 101; | I-16036 Recco (GE) | Tel. +39 / 0185 730 008 |
| KIEHL Schweiz AG | St. Dionys-Str. 33; | CH-8645 Jona | Tel. +41 (0) 55 / 254 74 74 |
| KIEHL Hungary Kft. | Felsőipari körút 3/ D | HU-2142 Nagytarcsa | Tel. +36 (0) 1 / 348-08 41 |
| KIEHL Middle East LLC | A8-LIU 48/49 - KIZAD | Abu Dhabi, U.A.E. | Tel. +971 2 550 33 96 |

1.4. Emergency telephone number: +49/89/19240 (germanophone and anglophone)
For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**Skin Irrit. 2; H315
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Phosphoric Acid / Hydrochloric Acid / Trideceth 5-12

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 2 of 10

Pictograms:



Hazard statements

- H318 Causes serious eye damage.
H315 Causes skin irritation.

Precautionary statements

- P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, organic acids, corrosion inhibitors, dyes, fragrances (Amylcinnamal, Citronellol)

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 7664-38-2 | Phosphoric acid | | | 15 - < 20 % |
| | 231-633-2 | 015-011-00-6 | 02-2119752438-31 | |
| | Skin Corr. 1B; H314 | | | |
| 7647-01-0 | hydrochloric acid ... % | | | 1 - < 5 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT SE 3; H314 H335 | | | |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | | | 1 - < 5 % |
| | 931-138-8 | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H318 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|--|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 7664-38-2 | 231-633-2 | Phosphoric acid | 15 - < 20 % |
| | | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 | |
| 7647-01-0 | 231-595-7 | hydrochloric acid ... % | 1 - < 5 % |
| | | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | |
| 69011-36-5 | 931-138-8 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | 1 - < 5 % |
| | | oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10 | |

SECTION 4: First aid measures

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 3 of 10

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 4 of 10

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with alkalis

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

Keep in a well-ventilated place.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|---|-----|-------------------|-----------|---------------|--------|
| 7647-01-0 | Hydrogen chloride (gas and aerosol mists) | 1 | 2 | | TWA (8 h) | WEL |
| | | 5 | 8 | | STEL (15 min) | WEL |
| 7664-38-2 | Orthophosphoric acid | - | 1 | | TWA (8 h) | WEL |
| | | - | 2 | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 5 of 10

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------|
| Physical state: | liquid |
| Colour: | red |
| Odour: | pleasant |

Test method

| | | |
|---|------------------------|-----------|
| Melting point/freezing point: | <0 °C | |
| Boiling point or initial boiling point and boiling range: | >78 °C | |
| Flammability: | not applicable | |
| Lower explosion limits: | not applicable | |
| Upper explosion limits: | not applicable | |
| Flash point: | >60 °C | |
| Auto-ignition temperature: | >200 °C | |
| Decomposition temperature: | not determined | |
| pH-Value (at 20 °C): | approx. 0,5 | K-QP1012C |
| Viscosity / kinematic: | not determined | |
| Water solubility: (at 20 °C) | completely miscible | |
| Solubility in other solvents not determined | | |
| Partition coefficient n-octanol/water: | not determined | |
| Vapour pressure: | not determined | |
| Density (at 20 °C): | 1,13 g/cm ³ | K-QP1012E |
| Relative vapour density: | not determined | |
| Particle characteristics: | not applicable | |

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 6 of 10

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

alkalis

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|---|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 69011-36-5 | i-C13-Fatty alcohol polyglycol ethers 5-12 EO | | | | |
| | oral | ATE 500 mg/kg | | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|-----------|-------------------------|------|-----------|---------|----------------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7647-01-0 | hydrochloric acid ... % | | | | | |
| | Acute fish toxicity | LC50 | 862 mg/l | 96 h | Leuciscus idus | |

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 150 mg O₂/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.
Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid-Hydrochloric acid (solution)) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 8 of 10



Classification code: C1
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric-acid / Hydrochloric-acid (solution))
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: Acids

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 3, Entry 75

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 9 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Safety Data Sheet

according to UK REACH Regulation

Powerfix

Revision date: 12.12.2022

Product code: j4005_sd

Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)