



## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 2 of 10

#### Pictograms:



#### Hazard statements

- H314 Causes severe skin burns and eye damage.  
H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, organic acids, dyes, fragrances (Amylcinnamal, Citronellol)

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-38-2	Phosphoric acid			15 - < 20 %
	231-633-2	015-011-00-6	02-2119752438-31	
	Skin Corr. 1B; H314			
25307-17-9	Oleylamine, ethoxylated			1 - < 5 %
	246-807-3		01-2119510876-35	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-38-2	231-633-2	Phosphoric acid	15 - < 20 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		
25307-17-9	246-807-3	Oleylamine, ethoxylated	1 - < 5 %
	oral: LD50 = 1260 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Avoid contact with skin, eyes and clothes.

#### After inhalation

No special measures are necessary.

## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 3 of 10

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.  
Remove contaminated, saturated clothing immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting.  
Immediately call a doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### Suitable extinguishing media

no restriction

##### Unsuitable extinguishing media

No information available.

#### **5.2. Special hazards arising from the substance or mixture**

No information available.

#### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.  
The product itself does not burn.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### General advice

Avoid contact with skin, eyes and clothes.

##### For non-emergency personnel

Use personal protection equipment.

##### For emergency responders

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### For containment

Stop leak if safe to do so. Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

##### For cleaning up

Wipe up with absorbent material (eg. cloth, fleece).  
Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Never return spills in original containers for re-use.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 4 of 10

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

No special measures are necessary.

#### Further information on handling

No special handling advices are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Store in a place accessible by authorized persons only.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with: Alkali (lye)

#### Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection:

Safety glasses with side-shields conforming to EN166

##### Hand protection

Tested protective gloves must be worn

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

not relevant

## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 5 of 10

#### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid / viscous
Colour:	red
Odour:	pleasant

#### Test method

Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and boiling range:	>78 °C	
Flammability:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	>60 °C	
Auto-ignition temperature:	>200 °C	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 0,5	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,15 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### 9.2. Other information

#### Information with regard to physical hazard classes

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 6 of 10

No hazardous reaction when handled and stored according to provisions.

#### **10.4. Conditions to avoid**

Do not store at temperatures above 35°C

#### **10.5. Incompatible materials**

Alkali (lye)

#### **10.6. Hazardous decomposition products**

No information available.

#### **Further information**

Do not mix with other detergents or chemicals.

## SECTION 11: Toxicological information

### **11.1. Information on hazard classes as defined in GB CLP Regulation**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
25307-17-9	Oleylamine, ethoxylated				
	oral	LD50 1260 mg/kg	Rat		

#### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **11.2. Information on other hazards**

#### **Endocrine disrupting properties**

No information available.

#### **Further information**

Health injuries are not known or expected under normal use.

## SECTION 12: Ecological information

### **12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
25307-17-9	Oleylamine, ethoxylated					
	Acute algae toxicity	ErC50 mg/l	0,0867	72 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50 mg/l	0,043	48 h	Daphnia magna (Big water flea)	

#### 12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Chemical Oxygen Demand (COD) 150 mg O<sub>2</sub>/g.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains.

##### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

UN 1805

##### 14.2. UN proper shipping name:

PHOSPHORIC ACID, SOLUTION

##### 14.3. Transport hazard class(es):

8

##### 14.4. Packing group:

III

Hazard label:

8



## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 8 of 10

Classification code: C1  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Special Provisions: 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B  
Segregation group: Acids

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No special measures are necessary.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):  
Entry 3, Entry 75

##### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



## Safety Data Sheet

according to UK REACH Regulation

### Powerfix-Gel

Revision date: 12.12.2022

Product code: j4006\_sd

Page 9 of 10

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to UK REACH Regulation

**Powerfix-Gel**

Revision date: 12.12.2022

Product code: j4006\_sd

Page 10 of 10

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*