

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Calinex

UFI: 7140-Y06Q-A000-WH9F

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

### 1.3. Details of the supplier of the safety data sheet

Company name:	JOHANNES KIEHL KG		
Street:	Robert-Bosch-Str. 9		
Place:	D-85235 Odelzhausen		
Telephone:	+49 8134 9305-0		Telefax: +49 8134 6466
E-mail:	info@kiehl-group.com		
Contact person:	Laboratory department		
Internet:	www.kiehl-group.com		
Responsible Department:	Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest, Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169		

KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommeneim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft.	Felsőipari körút 3/ D	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

### 1.4. Emergency telephone number:

+49/89/19240 (germanophone and anglophone)  
For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Phosphoric Acid

Signal word: Danger

#### Pictograms:



## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 2 of 10

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, inorganic acids, water-soluble solvents, corrosion inhibitors

##### Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (GB CLP Regulation)	
7664-38-2	Phosphoric acid	25 - < 35 %
	231-633-2	015-011-00-6
		02-2119752438-31
	Skin Corr. 1B; H314	
111905-53-4	Fatty alcohols, alcoxylated	1 - < 5 %
		02-2119552554-37
	Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H302 H319 H412	
67-63-0	Isopropyl alcohol	1 - < 5 %
	200-661-7	603-117-00-0
		01-2119457558-25
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
112-34-5	2-(2-Butoxyethoxy)ethanol	1 - < 5 %
	203-961-6	603-096-00-8
		01-2119475104-44
	Eye Irrit. 2; H319	

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7664-38-2	231-633-2	Phosphoric acid	25 - < 35 %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
111905-53-4		Fatty alcohols, alcoxylated	1 - < 5 %
		oral: ATE = 500 mg/kg	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Avoid contact with skin and eyes.

##### After inhalation

not hazardous by inhalation

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 3 of 10

#### After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

#### **4.2. Most important symptoms and effects, both acute and delayed**

This information is not available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Show this safety data sheet to the doctor in attendance.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Any extinguishing means and measures are acceptable.

#### **5.2. Special hazards arising from the substance or mixture**

This information is not available.

#### **5.3. Advice for firefighters**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Avoid contact with skin, eyes and clothing.

##### **For non-emergency personnel**

Use personal protection equipment.

##### **For emergency responders**

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not flush into surface water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Never return spills in original containers for re-use.

#### **6.4. Reference to other sections**

Refer to protective measures listed in sections 7 and 8.

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 4 of 10

#### Advice on safe handling

Avoid contact with skin and eyes.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

#### Advice on general occupational hygiene

General industrial hygiene practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with alkalis

#### Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

### 7.3. Specific end use(s)

This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

Not required.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Safety glasses with side-shields.

##### Hand protection

Protective gloves

Recommendation: Nature latex gloves with parts of polychloropren latex and a coating thickness of 0.6 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

##### Skin protection

impervious clothing

##### Respiratory protection

Not required

##### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 5 of 10

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	characteristic	
		<b>Test method</b>
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and boiling range:	>78 °C	
Flammability:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	>60 °C	
Auto-ignition temperature:	>200 °C	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	< 0,5	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,19 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This information is not available.

### 10.2. Chemical stability

This information is not available.

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 6 of 10

#### 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

#### 10.5. Incompatible materials

alkalis

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

##### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111905-53-4	Fatty alcohols, alcoxylyated				
	oral	ATE 500 mg/kg			

##### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### **Endocrine disrupting properties**

This information is not available.

#### **Further information**

The product causes burns of eyes, skin and mucous membranes.

Health injuries are not known or expected under normal use.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment

**Safety Data Sheet**

according to UK REACH Regulation

**Calinex**

Revision date: 12.12.2022

Product code: j4038\_sd

Page 7 of 10

plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

**12.3. Bioaccumulative potential**

This information is not available.

**12.4. Mobility in soil**

This information is not available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

This information is not available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

**List of Wastes Code - residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**List of Wastes Code - used product**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Clean container with water. Return cleaned containers to the company for recycling.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID, SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C1  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 8 of 10



Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	Acids

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

Not required

#### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 55, Entry 75

##### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### **Changes**

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 9 of 10

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to UK REACH Regulation

### Calinex

Revision date: 12.12.2022

Product code: j4038\_sd

Page 10 of 10

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*