

according to UK REACH Regulation

Revision date: 12.12.2022

Product code: j6201_sd

Page 1 of 10

1.1. Product identifier OrangePro				
UFI:	NM60-40WM-G0	00U-SRSD		
1.2. Relevant identified uses	of the substance or mixtu	re and uses advised against		
Use of the substance/mix	ture			
Product for professiona	al cleaning and maintenance	9		
1.3. Details of the supplier of	the safety data sheet			
Company name:	JOHANNES	KIEHL KG		
Street:	Robert-Bosch-St	r. 9		
Place:	D-85235 Odelzh	ausen		
Telephone:	+49 8134 9305-0)	Telefax: +49 8134 6466	
E-mail:	info@kiehl-group	o.com		
Contact person:	Laboratory depa	rtment		
Internet:	www.kiehl-group	.com		
Responsible Department:		Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240		
	Vergiftungsinforr	Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43		
		Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145		
		nce France: INRS: +33 (0) 1 4		
		genza Italia: Centro Antiveleni		
		egügyi Toxikológiai Tájékoztato		
		Ügyeleti telefonszám: +36 80		
		kuse number: 112 / Mürgistust		
	Emergency telep	hone number for all other cou	ntries: +49/8134/9305-169	
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93	
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25	
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008	
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74	
KIEHL Hungary Kft. KIEHL Middle East LLC	Felsöipari körút 3/ D A8-LIU 48/49 - KIZAD	HU-2142 Nagytarcsa	Tel. +36 (0) 1 / 348-08 41 Tel. +971 2 550 33 96	
	AU-LIU 40/49 - NIZAD	Abu Dhabi, U.A.E.	1 EI. T9/ 1 2 000 00 90	
1.4. Emergency telephone	+49/89/19240 (g	ermanophone and anglophone	e)	

number:

For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

D-Limonene

Signal word:

Danger



according to UK REACH Regulation



2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: water-soluble solvents, water-insoluble solvents, emulsifiers

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
8028-48-6	Orange terpenes			70 - < 75 %
	232-433-8			
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens H410	. 1, Asp. Tox. 1, Aquatic Chronic 1; I	H226 H315 H317 H304	
69227-22-1	Alcohols, C10-16, ethoxylated, propoxylated			5 - < 10 %
	Acute Tox. 4, Eye Dam. 1; H302 H	318		
67-63-0	-0 Isopropyl alcohol			5 - < 10 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE			
CAS No EC No Chemical name		Quantity	
Specific Conc. Limits, M-factors and ATE			
69227-22-1 Alcohols, C10-16, ethoxylated, propoxylated		5 - < 10 %	
oral: ATE = 500 mg/kg Eye Dam. 1; H318: >= 10 - 100			

SECTION 4: First aid measures

4.1. Description of first aid measures



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 3 of 10

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Sand, Foam

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special precautions required.

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with oxidizing and self-igniting products. (See also section 10)

Further information on storage conditions

Keep away from heat and sources of ignition.

Keep container tightly closed. Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Not required

Respiratory protection

Not required



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 5 of 10

SECTION 9: Physical and chemical properties

<u>9.1. In</u>fo

Physical state:	liquid		
Colour:	orange		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and		>78 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		26 °C	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		not applicable	
Viscosity / kinematic:		not determined	
Water solubility:		immiscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):			K-QP1012E
Relative vapour density:		not determined	
Particle characteristics:		not applicable	
9.2. Other information			
Information with regard to physical ha	zard classes		
Explosive properties			
Not explosive			
Self-ignition temperature		6 B B	
Solid:		not applicable	
Gas:		not applicable	
Oxidizing properties Not relevant			
Other safety characteristics			
Evaporation rate:		not determined	
Solid content:		not determined	
Sublimation point: Softening point:		not applicable not applicable	
Pour point:		not applicable	
Viscosity / dynamic:		not determined	
Flow time:		not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 6 of 10

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69227-22-1	Alcohols, C10-16, ethoxylated, propoxylated				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Orange terpenes)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

If used as prescribed, the product does not get into the sewage system and thus not into ecological cycles.



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 7 of 10

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Dipentene)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Dipentene)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
	•



according to UK REACH Regulation

	OrangePro			
Revision date: 12.12.2022	Product code: j6201_sd		Page 8 of 10	
Special Provisions:	223, 274, 955			
Limited quantity: Excepted quantity:	5 L E1			
EmS:	F-E, S-E			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	Yes	¥2		
Danger releasing substance:	Dipentene	~		
 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according Not relevant 	to IMO instruments			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental reg	ulations/legislation specific for the substa	nce or mixture		
EU regulatory information Restrictions on use (REACH, annex XVII) Entry 3, Entry 40, Entry 75):			
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				
Chemical safety assessments for substances in this mixture were not carried out.				
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

OrangePro

Revision date: 12.12.2022

Product code: j6201_sd

Page 9 of 10

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 1; H410	Calculation method



according to UK REACH Regulation

OrangePro				
Revision date: 12.12.2022	Product code: j6201_sd	Page 10 of 10		
Relevant H and EUH sta	Relevant H and EUH statements (number and full text)			
H225	Highly flammable liquid and vapour.			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H315	H315 Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	H318 Causes serious eye damage.			
H319	H319 Causes serious eye irritation.			
H336	May cause drowsiness or dizziness.			
H410	Very toxic to aquatic life with long lasting effects.			

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)