

according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**ARENAS-exet 1** 

UFI: JN70-706D-500S-QUS5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Product for professional cleaning and maintenance

#### 1.3. Details of the supplier of the safety data sheet

Company name: JOHANNES KIEHL KG

Street: Robert-Bosch-Str. 9
Place: D-85235 Odelzhausen

Telephone: +49 8134 9305-0 Telefax: +49 8134 6466

E-mail: info@kiehl-group.com
Contact person: Laboratory department
Internet: www.kiehl-group.com

Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240

Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145

Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59

Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66101029 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Budapest,

Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199

Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: 16662 Emergency telephone number for all other countries: +49/8134/9305-169

KIEHL Austria GmbH Perfektastr. 57; A-1230 Wien Tel. +43 (0) 1 / 604 99 93 KIEHL FRANCE S.A.R.L. 5, rue de Londres; F-67670 Mommenheim Tél. +33 (0) 3.88.59.52.25 KIEHL Italia s.r.l. Via San Rocco, 101; I-16036 Recco (GE) Tel. +39 / 0185 730 008 KIEHL Schweiz AG St. Dionys-Str. 33; CH-8645 Jona Tel. +41 (0) 55 / 254 74 74 HU-2142 Nagytarcsa KIEHL Hungary Kft. Felsőipari körút 3/ D Tel. +36 (0) 1 / 348-08 41 KIEHL Middle East LLC A8-LIU 48/49 - KIZAD Abu Dhabi, U.A.E. Tel. +971 2 550 33 96

**1.4. Emergency telephone** +49/89/19240 (germanophone and anglophone)

<u>number:</u> For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 3; H226 Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### **GB CLP Regulation**

## Hazard components for labelling C10-12 Alkane / Cycloalkane

Signal word: Danger



#### according to UK REACH Regulation

## **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 2 of 10

#### Pictograms:





#### **Hazard statements**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

according to 648/2004/CE: nonionic surfactants 5-15%, aliphatic hydrocarbons >30%, water-soluble solvents, fragrances (Hexyl Cinnamal, Linalool, Benzyl Salicylate, Geraniol)

#### **Hazardous components**

| CAS No     | Chemical name                               |              |                  | Quantity    |
|------------|---------------------------------------------|--------------|------------------|-------------|
|            | EC No                                       | Index No     | REACH No         |             |
|            | Classification (GB CLP Regulation)          |              |                  |             |
| 64742-48-9 | Hydrocarbons, dearomatized                  |              |                  | 55 - < 60 % |
|            | 265-150-3                                   |              | 01-2119457273-39 |             |
|            | Asp. Tox. 1; H304                           |              |                  |             |
| 112-34-5   | 2-(2-Butoxyethoxy)ethanol                   |              |                  | 5 - < 10 %  |
|            | 203-961-6                                   | 603-096-00-8 | 01-2119475104-44 |             |
|            | Eye Irrit. 2; H319                          |              |                  |             |
| 69227-22-1 | Alcohols, C10-16, ethoxylated, propoxylated |              |                  | 5 - < 10 %  |
|            | Acute Tox. 4, Eye Dam. 1; H302 H318         |              |                  |             |

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                                    | Chemical name                               | Quantity   |
|------------|------------------------------------------|---------------------------------------------|------------|
|            | Specific Conc. Limits, M-factors and ATE |                                             |            |
| 69227-22-1 |                                          | Alcohols, C10-16, ethoxylated, propoxylated | 5 - < 10 % |
|            | oral: ATE = 500 mg/kg                    |                                             |            |

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No hazards which require special first aid measures.



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 3 of 10

#### After inhalation

Move to fresh air.

#### After contact with skin

Wash off immediately with soap and plenty of water.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.. If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Aspiration hazard if swallowed - can enter lungs and cause damage.

Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Sand, Foam

### Unsuitable extinguishing media

Water

## 5.2. Special hazards arising from the substance or mixture

This information is not available.

### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Not required.

#### For non-emergency personnel

No special measures are necessary.

## For emergency responders

No special measures are necessary.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

## For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

## For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Never return spills in original containers for re-use.

### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 4 of 10

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special precautions required.

#### Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

#### Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store together with oxidizing and self-igniting products.

(See also section 10)

### Further information on storage conditions

Keep away from heat and sources of ignition.

Keep container tightly closed.

Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

This information is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

| CAS No   | Substance                 | ppm | mg/m³ | fibres/ml | Category      | Origin |
|----------|---------------------------|-----|-------|-----------|---------------|--------|
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol | 10  | 67.5  |           | TWA (8 h)     | WEL    |
|          |                           | 15  | 101.2 |           | STEL (15 min) | WEL    |

### Additional advice on limit values

Use only in well-ventilated areas.

### 8.2. Exposure controls

## Appropriate engineering controls

Not required.

## Individual protection measures, such as personal protective equipment

#### Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

### Skin protection

Not required

#### Respiratory protection

Not required

#### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551 sd Page 5 of 10

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless Odour: characteristic

Test method

Melting point/freezing point: <0 °C >78 °C Boiling point or initial boiling point and

boiling range:

Flammability: not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable 24 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): not applicable Viscosity / kinematic: not determined Water solubility: immiscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 0,81 g/cm<sup>3</sup> K-QP1012E

Relative vapour density: not determined Particle characteristics: not applicable

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties Not explosive Self-ignition temperature

> Solid: not applicable Gas: not applicable

Oxidizing properties Not relevant

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Sublimation point: not applicable Softening point: not applicable Pour point: not applicable Viscosity / dynamic: not determined Flow time: not determined

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This information is not available.

#### 10.2. Chemical stability

This information is not available.



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 6 of 10

### 10.3. Possibility of hazardous reactions

This information is not available.

#### 10.4. Conditions to avoid

Do not expose to temperatures above 30 °C. Keep away from direct sunlight.

#### 10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

#### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                               |                  |         |        |        |
|------------|---------------------------------------------|------------------|---------|--------|--------|
|            | Exposure route                              | Dose             | Species | Source | Method |
| 69227-22-1 | Alcohols, C10-16, ethoxylated, propoxylated |                  |         |        |        |
|            | oral                                        | ATE 500<br>mg/kg |         |        |        |

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Additional information on tests

Classification according to European directive on classification of hazardous preparations 1999/45/EC.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This information is not available.

#### **Further information**

Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 7 of 10

#### 12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

### 12.3. Bioaccumulative potential

This information is not available.

#### 12.4. Mobility in soil

This information is not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

This information is not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Container should be emptied thoroughly. Do not dispose of waste into sewer.

#### List of Wastes Code - residues/unused products

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);

waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent

mixtures; hazardous waste

#### List of Wastes Code - used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);

waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent

mixtures; hazardous waste

### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3295

14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. (Low boiling point hydrogen treated

naphtha / C9-C12-alkanes)

14.3. Transport hazard class(es):
14.4. Packing group:
Hazard label:
3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number or ID number: UN 3295

14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. (Low boiling point hydrogen treated

naphtha / C9-C12-alkanes)

14.3. Transport hazard class(es): 3



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 8 of 10

14.4. Packing group:IIIHazard label:3



Special Provisions: 223, 944
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 40, Entry 55, Entry 75

## National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



#### according to UK REACH Regulation

#### **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551 sd Page 9 of 10

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

**DNEL: Derived No Effect Level** DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Flam. Lig: Flammable liquids Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Eye Dam: Eye damage Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data    |
| Asp. Tox. 1; H304  | Calculation method       |

# Relevant H and EUH statements (number and full text)


H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Causes serious eye damage. H318 H319 Causes serious eye irritation.

**EUH066** Repeated exposure may cause skin dryness or cracking.





according to UK REACH Regulation

## **ARENAS-exet 1**

Revision date: 12.12.2022 Product code: j6551\_sd Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)