

according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
ARENAS-exet 2			
UFI:	WR70-Q0VS-G00	9-C6C7	
1.2. Relevant identified uses	of the substance or mixture	and uses advised against	
Use of the substance/mix	ture		
Product for professiona	al cleaning and maintenance		
1.3. Details of the supplier of	f the safety data sheet		
Company name:	JOHANNES	KIEHL KG	
Street:	Robert-Bosch-Str.	. 9	
Place:	D-85235 Odelzha	usen	
Telephone:	+49 8134 9305-0		Telefax: +49 8134 6466
E-mail:	info@kiehl-group.	com	
Contact person:	Laboratory depart	ment	
Internet:	www.kiehl-group.com		
Responsible Department:	bonsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240		
	Vergiftungsinform	ationszentrale (VIZ) Österreic	ch: +43 1 406 43 43
		ummer für die Schweiz (Tox-2 ce France: INRS: +33 (0) 1 4	
			- 20162 Milano: 02/66101029
	ETTSZ /Egészség	jügyi Toxikológiai Tájékoztató	Szolgálat/, 1096 Budapest,
	Nagyvárad tér 2. l	Ügyeleti telefonszám: +36 80	201-199
	Eesti: Häirekesk	use number: 112 / Mürgistust	eabekeskuse number: 16662
	Emergency teleph	one number for all other cour	ntries: +49/8134/9305-169
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG	St. Dionys-Str. 33;	CH-8645 Jona	Tel. +41 (0) 55 / 254 74 74
KIEHL Hungary Kft. KIEHL Middle East LLC	Felsöipari körút 3/ D A8-LIU 48/49 - KIZAD	HU-2142 Nagytarcsa Abu Dhabi, U.A.E.	Tel. +36 (0) 1 / 348-08 41 Tel. +971 2 550 33 96
	AU-LIU 40/49 - NIZAU	ADU DHADI, U.A.E.	Tel. +97 TZ 330 33 90
1.4. Emergency telephone	+49/89/19240 (ge	rmanophone and anglophone	e)

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Pictograms: Warning



Hazard statements H319

Causes serious eye irritation.

For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552 sd

Page 2 of 9

Precautionary statements

P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: anionic surfactants <5%, water-soluble solvents, fragrances

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP R	egulation)		
67-63-0	Isopropyl alcohol			5 - < 10 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, S	STOT SE 3; H225 H319 H336		
107-98-2	1-Methoxy-2-propanol	5 - < 10 %		
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3;			
112-34-5	2-(2-Butoxyethoxy)ethanol		1 - < 5 %	
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
122-99-6	2-Phenoxyethanol			1 - < 3 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Dam. 1			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE		
122-99-6	204-589-7	204-589-7 2-Phenoxyethanol		
	oral: ATE 1394 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 3 of 9

Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with eyes.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

General industrial hygiene practice. When using do not smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 4 of 9

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep away from heat and sources of ignition. Keep container tightly closed. Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless pleasant		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and		>78 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		40 °C	
Auto-ignition temperature:		not determined	



according to UK REACH Regulation

	ARENAS-exet 2	
Revision date: 12.12.2022	Product code: j6552_sd	Page 5 of 9
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 9,5	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,00 g/cm ³	K-QP1012E
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Information with regard to physical hazard	classes	
Explosive properties		
Not explosive		
Sustaining combustion:	Not sustaining combustion	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not relevant		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Sublimation point:	not applicable	
Softening point:	not applicable	
Pour point:	not applicable	
Viscosity / dynamic:	not determined	
Flow time:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name			
	Exposure route	Dose	Species	Source	Method
122-99-6	2-Phenoxyethanol				
	oral	ATE 1394 ma/ka			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 1950 mg O2/g.



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	not applicable
14.2. UN proper shipping name:	not applicable
<u>14.3. Transport hazard class(es):</u>	not applicable
14.4. Packing group:	not applicable
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 55, Entry 75

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 8 of 9

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Eye Dam: Eye damage Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification		Classification procedure	
Eye Irrit. 2; H319 Calculation method			
Relevant H and E	UH statements	nts (number and full text)	
H225 Highly flammable liquid and vapour.			
H226	Flamm	mable liquid and vapour.	
H302	Harmfu	armful if swallowed.	
H318	Cause	es serious eye damage.	



according to UK REACH Regulation

ARENAS-exet 2

Revision date: 12.12.2022

Product code: j6552_sd

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)