

according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 1 of 9

| .1. Product identifier | | | | | |
|---|---|--|-----------------------------|--|--|
| ARENAS-Perla-Des | | | | | |
| UFI: | W380-R0NC-Q0 | 08-0JPG | | | |
| .2. Relevant identified uses of | of the substance or mixtu | re and uses advised against | | | |
| Use of the substance/mixt | ure | | | | |
| Product for professional | disinfection | | | | |
| .3. Details of the supplier of | the safety data sheet | | | | |
| Company name: | JOHANNES | KIEHL KG | | | |
| Street: | Robert-Bosch-St | r. 9 | | | |
| Place: | D-85235 Odelzha | ausen | | | |
| Telephone: | +49 8134 9305-0 |) | Telefax: +49 8134 6466 | | |
| E-mail: | info@kiehl-group | o.com | | | |
| Contact person: | Laboratory depart | rtment | | | |
| Internet: | www.kiehl-group | .com | | | |
| Responsible Department: | Notrufnummer fü | Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19240 | | | |
| | Vergiftungsinform | Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 | | | |
| | Nationale Notrufi | nummer für die Schweiz (Tox-2 | Zentrum Zürich): 145 | | |
| | Numéro d'urge | nce France: INRS: +33 (0) 1 4 | 5 42 59 59 | | |
| | Numero d' emerg | genza Italia: Centro Antiveleni | - 20162 Milano: 02/66101029 | | |
| | | gügyi Toxikológiai Tájékoztató | | | |
| | | Ügyeleti telefonszám: +36 80 | | | |
| | | kuse number: 112 / Mürgistust | | | |
| | Emergency telep | hone number for all other cour | ntries: +49/8134/9305-169 | | |
| KIEHL Austria GmbH | Perfektastr. 57; | A-1230 Wien | Tel. +43 (0) 1 / 604 99 93 | | |
| KIEHL FRANCE S.A.R.L. | 5, rue de Londres; | F-67670 Mommenheim | Tél. +33 (0) 3.88.59.52.25 | | |
| KIEHL Italia s.r.l. | Via San Rocco, 101; | I-16036 Recco (GE) | Tel. +39 / 0185 730 008 | | |
| KIEHL Schweiz AG | St. Dionys-Str. 33; | CH-8645 Jona | Tel. +41 (0) 55 / 254 74 74 | | |
| KIEHL Hungary Kft. KIEHL Middle East LLC | Felsöipari körút 3/ D A8-LIU 48/49 - KIZAD | HU-2142 Nagytarcsa Abu Dhabi, U.A.E. | Tel. +36 (0) 1 / 348-08 41 | | |
| | | | Tel. +971 2 550 33 96 | | |

number:

For Belgium: +32 70 245 245 (free, 24/7) or +32 2 264 96 30 (normal rate)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Pictograms: Warning



Hazard statements H319

Causes serious eye irritation.



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 2 of 9

Precautionary statements

P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants <5%, soap <5%, Zeolites 5-15%, Polycarboxylates <5%, Oxygen-based bleaching agents 15-30%, Optical brighteners, fragrances

Hazardous components

| CAS No | Chemical name | | Quantity | |
|------------|--|------------------------------|-------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation |) | | |
| 497-19-8 | Sodium carbonate | | | 20 - < 25 % |
| | 207-838-8 | 011-005-00-2 | 01-2119485498-19 | |
| | Eye Irrit. 2; H319 | | | |
| 15630-89-4 | Sodium percarbonate | | | 15 - < 20 % |
| | 239-707-6 | | 01-2119457268-30 | |
| | Ox. Sol. 2, Acute Tox. 4, Eye Dam. | 1; H272 H302 H318 | | |
| 1344-09-8 | Silicid acid, sodium salt | | | 5 - < 10 % |
| | 215-687-4 | | 01-2119448725-31 | |
| | Met. Corr. 1, Acute Tox. 4, STOT S | E 3; H290 H302 H335 | • | |
| 68411-30-3 | Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | | 1 - < 5 % | |
| | 270-115-0 | | 01-2119489428-22 | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Dam | n. 1, Aquatic Chronic 3; H30 | 02 H315 H318 H412 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--|---|--|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 15630-89-4 | 239-707-6 | Sodium percarbonate | |
| | dermal: LD50 = >2000 mg/kg; oral: LD50 = 1034 mg/kg | | |
| 1344-09-8 | 215-687-4 | Silicid acid, sodium salt | 5 - < 10 % |
| dermal: LD50 = >5000 mg/kg; oral: LD50 = >2000 mg/kg | | | |
| 68411-30-3 | 270-115-0 | Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | 1 - < 5 % |
| oral: ATE = 500 mg/kg | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

Take the victim into fresh air.



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 3 of 9

After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For cleaning up

Use mechanical handling equipment.

After cleaning, flush away traces with water.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 4 of 9

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Suitable protective gloves recommended.

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: Colour: Odour: | solid (powder) white odourless | | |
|--|--------------------------------------|-------------------|-------------|
| | | | Test method |
| Melting point/freezing point: | | not applicable | |
| Boiling point or initial boiling point and | | not applicable | |
| boiling range: | | | |
| Flammability: | | not applicable | |
| Lower explosion limits: | | not applicable | |
| Upper explosion limits: | | not applicable | |
| Flash point: | | not determined | |
| Auto-ignition temperature: | | not determined | |
| Decomposition temperature: | | not determined | |
| pH-Value (at 20 °C): | | approx. 10,0 (1%) | K-QP1012C |
| Viscosity / kinematic: | | not determined | |



according to UK REACH Regulation

| ARENAS-Perla-Des | | | |
|--|------------------------|-------------|--|
| Revision date: 12.12.2022 | Product code: j6576_sd | Page 5 of 9 | |
| Water solubility: | completely miscible | | |
| (at 20 °C) | | | |
| Solubility in other solvents not determined | | | |
| Partition coefficient n-octanol/water: | not determined | | |
| Vapour pressure: | not determined | | |
| Density (at 20 °C): | not determined | | |
| Bulk density: | 900 kg/m³ | | |
| Relative vapour density: | not determined | | |
| Particle characteristics: | No data available | | |
| 9.2. Other information | | | |
| Information with regard to physical hazard | l classes | | |
| Explosive properties | | | |
| Not explosive | | | |
| Self-ignition temperature | | | |
| Solid: | not applicable | | |
| Gas: | not applicable | | |
| Oxidizing properties | | | |
| Not relevant | | | |
| Other safety characteristics | | | |
| Evaporation rate: | not determined | | |
| Solid content: | not determined | | |
| Sublimation point: | not applicable | | |
| Softening point: | not applicable | | |
| Pour point: | not applicable | | |
| Viscosity / dynamic: | not determined | | |
| Flow time: | not determined | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 6 of 9

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|------------|--|---------------|-------|---------|--|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 15630-89-4 | Sodium percarbonate | | | | | |
| | oral | LD50 mg/kg | 1034 | Rat | Information taken from reference works and the literature. | |
| | dermal | LD50 mg/kg | >2000 | Rabbit | OECD 402 | |
| 1344-09-8 | Silicid acid, sodium salt | | | | | |
| | oral | LD50 mg/kg | >2000 | Rat | | |
| | dermal | LD50 mg/kg | >5000 | Rat | | |
| 68411-30-3 | Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts | | | | | |
| | oral | ATE mg/kg | 500 | | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 7 of 9

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 216 mg O2/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | not applicable |
|--|--------------------|
| 14.2. UN proper shipping name: | not applicable |
| 14.3. Transport hazard class(es): | not applicable |
| 14.4. Packing group: | not applicable |
| 14.5. Environmental hazards | |
| ENVIRONMENTALLY HAZARDOUS: | No |
| 14.6. Special precautions for user | |
| Not required | |
| 14.7. Maritime transport in bulk according | to IMO instruments |
| not applicable | |
| Other employed information | |

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 75

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to UK REACH Regulation

ARENAS-Perla-Des

Revision date: 12.12.2022

Product code: j6576_sd

Page 8 of 9

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) **EmS: Emergency Schedules** MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Ox. Sol: Oxidising solids Met. Corr: Corrosive to metals Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eve Dam: Eve damage Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard . . . 4 - 1.

| Relevant H and | EUH statements | (number and full text) |
|-----------------------|----------------|------------------------|
| 11070 | | · c c · · · · |

| H272 | May intensity fire; oxidiser. |
|------|-------------------------------|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |



according to UK REACH Regulation

| ARENAS-Perla-Des | | | | |
|---------------------------|--|-------------|--|--|
| Revision date: 12.12.2022 | Product code: j6576_sd | Page 9 of 9 | | |
| H315 | Causes skin irritation. | | | |
| H318 | Causes serious eye damage. | | | |
| H319 | Causes serious eye irritation. | | | |
| H335 | May cause respiratory irritation. | | | |
| H412 | Harmful to aquatic life with long lasting effects. | | | |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)